SECTION 9 REFERENCES





TABLE OF CONTENTS

9.0	REFERENCES		9-1
	9.1	LITERATURE CITED	9-1
	9.2	Personal Communications	9-67





9.0 REFERENCES

9.1 LITERATURE CITED

- Aber, J. D., and Melillo, J. M. 1991. Terrestrial Ecosystems. Saunders College Publishing. Phildelphia. 429 pp.
- Ables, E.D. 1974. Ecology of the red fox in North America. In Wild canids. Edited *by* M.W. Fox. The Van Nostrand Reinhold Co., New York. 508 pp.
- Abraham, K.F., and Thompson, J.E. 1998. Defining the Pen Islands caribou herd of southern Hudson Bay. Rangifer Special Issue No. 10: 33-40.
- Abraham, K.F., Pond, B.A., Tully, S.M., Trim, V., Hedman, D., Chenier, C., and Racey, G.D. 2012. Recent changes in summer distribution and numbers of migratory caribou on the southern Hudson Bay coast. Rangifer Special Issue No. 20: 269–276.
- Afton, A.D. and M.G. Anderson. 2001. Declining scaup populations: a retrospective analysis of long-term population and harvest survey data. Journal of Wildlife Management. 65: 781-796.
- Agriculture and Agri-Food Canada. 1996. Soil Landscapes of Canada, Version 2.2, National Soil DataBase. scale 1:1,000,000.
- Aitchison-Benell, C.W., and C.D. Dondale. 1992. A checklist of Manitoba spiders (Araneae): with notes on geographic relationships. Le Naturaliste Canadien 117: 215-237.
- Alaska Department of Fish and Game. Grouse: Wildlife Notebook Series. 2008. http://www.adkg.state.ak.us/pubs/notebook/bird/grouse/php.
- Alberta Government. 2006. Are cyanobacterial blooms toxic? Department of Environment. Retrieved from http://www3.gov.ab.ca/env/water/SWQ/faqs03.cfm February 27, 2008.
- Allen, T. F. H., and Starr, T.B. 1982. Hierarchy: perspectives for ecological complexity. University Chicago Press. pp. 310
- Allen, A.W. 1982. Habitat suitability index models: beaver. U.S. Department of the Interior, Fish and Wildlife Service. FWS/OBS-82/10.30. 20 pp.
- Allen, A.W. 1983. Habitat suitability index models: southern red-backed vole (Western United States). U.S. Department of the Interior, Fish and Wildlife Service. FWS/OBS-82/10.42. 14 pp.
- Allen, A.W. 1984. Habitat suitability index models: mink. Habitat Evaluation Procedures Group, Western Energy and Land Use Team, U.S. Fish and Wildlife Service. FWS/OBS-82/10.61. 19 pp.
- Allen, T.F., O'Neill, R.V., and Hoekstra, T.W. 1987. Interlevel relations in ecological research and management: some working principles from hierarchy theory. Journal of Applied Systems Analysis, 14:63-79.



- Alsop, F. 2001. Short-eared Owl (*Asio flammeus*). In Birds of North America: Eastern Region. DK Publishing, Inc. New York: New York.
- Altman, B., and R. Sallabanks. 2000. Olive-sided Flycatcher (*Contopus cooperi*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://www.bna.birds.cornell.edu/bna/species/502.
- Alvo, R. and M. Robert. 1999. COSEWIC status report on the yellow rail Coturnicops noveboracensis in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. 1-62 pp.
- AMEC Americas Limited. 2005. Mackenzie Gas Project: effects of noise on wildlife. Technical report prepared for Imperial Oil Resources Ventures Limited. 74 pp.
- Amiro, B.D., M.D. Flanigan, B.J. Stocks, J.B. Todd and B.M. Wotton. 2003. Boreal Forest Fires: An Increasing Issue in a Changing Climate. XII World Forestry Congress, Quebec City, Canada.
- Anderson, D.C., Wilson, K.R., Miller, M.S., and Falck, M. 2000. Movement patterns of riparian small mammals during predictable floodplain inundation. American Society of Mammalogists 81: 1087-1099.
- Anderson, R.C. 1972. The ecological relationships of meningeal worm and native cervids in North America. Journal of Wildlife Diseases 8: 304-310.
- Andrén, H. 1994. Effects of habitat fragmentation on birds and mammals in landscapes with different proportions. *Oikos* 71(3): 355-366.
- Andrews. A. 1990. Fragmentation of Habitat by Roads and Utility Corridors: A Review. Australian Zoologist, Vol. 26 (3 & 4). Angelstam. P.1986. Predation on Ground-Nesting Birds' Nests in Relation to Predator Densities and Habitat Edge. *Oikos* Vol. 47, No. 3 (Nov., 1986), pp. 365-373.
- Anonymous. 2004. An Invasive Alien Species Strategy For Canada. Environment Canada.
- Anonymous. 2012. Northern Ontario Wetland Evaluation System- Northern Manual. 1st Edition, Version 1.3. Copyright, Queen's Printer for Ontario. 280 pp.
- Anonymous. 1995. Sustaining the world's forests: the Santiago agreement. J. Forestry, 93:4, 18-2.
- Anteau, M.J. and A.D. Afton. 2008. Amphipod densities and indices of wetland quality across the Upper Midwest USA. Wetalnds, 28(1), 184-196.
- Arthur, S.M., Krohn, W.B., and Gilbert, J.R. 1989. Habitat use and diet of fishers. Journal of Wildlife Management 53(3): 683-688.
- Argus, G.W. 2007. Salix (*Salicaceae*) distribution maps and a synopsis of their classification in north America, north of Mexico. Harvard Papers in Botany 12: 335-368.
- Ashley, E.P., and Robinson, J.T. 1996. Road mortality of amphibians, reptiles, and other wildlife on the Long Point Causeway, Lake Erie, Ontario. Canadian Field Naturalist 110: 403-412.
- Aspi, J., J. Lumme, A. Hoikkala, E. Heikkinen. 1993. Reproductive ecology of the boreal riparian guild of Drosophila. Ecography, Vol. 16(1): 65-72.



- Athabasca Landscape Team. 2009. Athabasca Caribou Landscape Management Options Report. Alberta Caribou Committee. Edmonton, AB. 107 pp.
- Audubon Society. 2006. Bird Web online at http://www.birdweb.org/birdweb/index.aspx, Accessed September 2007.
- Aurelich, R.J., Ringer, R.K., and Iwamoto, S. 1974. Effects of dietary mercury in mink. Archives of Environmental Contaminants and Toxicology 2: 43-51.
- Austin, M. 1998. Wolverine winter travel routes and response to transportation corridors in Kicking Horse Pass between Yoho and Banff National Parks. M.Sc. Thesis, Department of Environment, University of Calgary, Calgary, Alberta. 40 pp.
- Austin, J.E., A.D. Afton, M.G. Anderson, R.G. Clark, C.M. Oster, J.S. Lawrence, J.R. Pollard and J.K. Ringelman. 2000. Declining scaup populations: issues, hypothesis, and research needs. Wildlife Society Bulletin. 28: 254-263.
- Austin, J.M., Ferguson, M., Gingras, G., and Bakos, G. 2003. Strategies for restoring ecological connectivity and establishing wildlife passage for the upgrade of Route 78 in Swanton, Vermont: an overview. Road Ecology Centre, John Muir Institute of the Environment, UC Davis. pp. 253-259. Available at http://www.escholarship.org/uc/item/50q5q4m7 [accessed 9 June 2010].
- AXYS (AXYS Environmental Consulting Ltd.). 2001. Thresholds for Addressing Cumulative Effects on Terrestrial and Avian Wildlife in the Yukon. Prepared for Department of Indian and Northern Affairs, Environmental Directorate and Environment Canada. 120 pp.
- B.C. Ministry of Forests, Mines and Lands. 2010. The state of British Columbia's forests, 3rd ed. Forest Practices and Investment Branch, Victoria, BC. Available at www.for.gov.bc.ca/hfp/sof/index.htm#2010_report. [accessed 13 October 2011]. 308 pp.
- Bailey, V. 1937. The Maryland muskrat marshes. Journal of Mammology 18: 350-354.
- Bailey, R. G. 2009. Ecosystem Geography: From Ecoregions to Sites. Springer, New York. 251 pp.
- Baird, P. A. 1976. Comparative ecology of California and Ring-billed Gulls (Larus californicus and L. delawarensis). Phd Thesis. Univ. Montana, Missoula.
- Baker, W. 1992. The landscape ecology of large disturbances in the design and management of nature reserves. Landscape Ecology 7:181-194.
- Ball, M., and Wilson, P. 2007. Analysis of woodland caribou fecal samples collected from northern Manitoba in 2006. Natural Resources DNA Profiling and Forensic Centre Final Report, Trent University Biology Department, Peterborough, Ontario. Prepared for Wildlife Resource Consulting Services MB Inc. 11 pp.
- Ball, M.C., Pither, R., Manseau, M., Clark, J., Petersen, S.D., Kingston, S., Morrill, N., and Wilson, P. 2007. Characterization of target nuclear DNA from faeces reduces technical issues associated with the assumptions of low-quality and quantity template. Conservation Genetics 8: 577-586.



- Banci, V. 1994. Wolverine. In The scientific basis for conserving carnivores: American marten, fisher, lynx, and wolverine in the western United States. Edited *by* L.F. Ruggiero, K.B. Aubry, and S.W. Buskirk. USDA Forest Service General Technical Report, Fort Collins, Colorado. pp. 99-127.
- Banfield, A.F.W. 1987. The mammals of Canada. University of Toronto Press, Toronto, Ontario. 438 pp.
- Barber, J.R., K.R. Crooks and K.M. Fristrup. 2010. The costs of chronic noise exposure for terrestrial organisms. Trends Ecol. Evol., 25, 180–189.
- Barclay, R.M.R., Thomas, D.W., and Fenton, M.B. 1980. Comparison of methods used for controlling bats in buildings. Journal of Wildlife Management 44(2): 502-506.
- Barclay, R.M.R., and Cash, K.J. 1985. A non-commensal maternity roost of the little brown bat (*Myotis lucifugus*). Journal of Mammalogy 66: 782-783.
- Barnes, W.J. 1999. The rapid growth of a population of reed canary gras (*Phalaris arundinacea* L.) and its impact on some riverbottom herbs. Journal of the Torrey Botanical Society 126: 133-138.
- Barr, J. 1986. Population dynamics of the Common Loon (Gavia immer) associated with mercury-contaminated waters in northwestern Ontario. Canadian Wildlife Service Occasional Paper No. 56. 23 pp.
- Barthelmess, E.L., and Brooks, M.S. 2010. The Influence of body-size and diet on road-kill trends in mammals. Biodiveristy and Conservation 19: 1611-1629.
- Bartoldus, C. C. 2000. The process of selecting a wetland assessment procedure: steps and considerations. Wetland Journal 12: 4-40.
- Bartonek, J.C. 1972. Summer foods of American wigeons, mallards, and a green-winged teal near Great Slave Lake, N.W.T. Can. Field-Nat. 86:373-376.
- Baudvin, Hughes. 1997. Barn Owl (Tyto alba) and Long-eared Owl (Asio otus) Mortality Along Motorways. In: Biology and Conservation of Owls of the Northern Hemisphere. USDA Forest Service General Technical Report NC-190. Proceedings of the Second International Symposium. Feb 5-9, 1997. Winnipeg, Manitoba. James Duncan, David Johnson, and Thomas Nichols eds. Pages 58-61.
- Bayne, E.M., L. Habib and S. Boutin. 2008. Impacts of chronic anthropogenic noise from energy-sector activity on abundance of songbird sin the boreal forest. Conservation Biology. 22(5): 1186-1193.
- Beaufort, W., Barber, J., and Barringer, A.R. 1977. Uptake and distribution of mercury with higher plants. Physiologia Plantarum 39:261-265.
- Bechard, M., Perkins, D., Kaltenecker, G., and S. Alsup. 2009. Mercury Contamination in Idaho Bald Eagles, *Haliaeetus leucocephalus*. Bull Environ Contam Toxicol 83:698-702.
- Becker, P., Furness, R., and D. Henning. 1993. Mercury Dynamics in Young Common Tern (*Stern hirundo*) Chicks from a Polluted Environment. Ecotoxicology 2:33-40.



- Becker, P., Henning, D., and Furness, R. 1994. Differences in Mercury Contamination and Elimination during Feather Development in Gull and Tern Broods. Archives of Environmental Contamination and Toxicology 27:162-167.
- Becker, P., Furness, R and D. Henning. 1993. Mercury Dynamics in young Common Tern (Sterna hirundo) chicks from a polluted environment. Ecotoxicology 2: 33-40.
- Beetle, D.E. 1960. Some mollusks from Manitoba. The Nautilus 74 (2): 84.
- Beke, G. J., Veldhuis, H., and Thie, J. 1973. Bio-physical Land Inventory: Churchill-Nelson Rivers Study Area, North-Central Manitoba. Canada-Manitoba Soil Survey. 409 pp.
- Bekoff, M. 1982. Coyote. In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 447-459.
- Beilman, D.W., D.H. Vitt and L.A. Halsey. 2001. Localized permafrost peatlands in western Canada: definitions, distributions, and degradation. Arctic, Antarctic, and Alpine Research 33:70-77.
- Bélanger, L., and J. Bédard. 1990. Energetic cost of man-induced disturbance to staging snow geese (Chen caerulescens atlantica). Journal of Wildlife Management 54:36-41.
- Belant, J.L. 1995. Moose Collisions with vehicles and trains in northeastern Minnesota. Alces 31:45-52.
- Bellrose, F.C. 1976. Ducks, geese and swans of North America. Stackpole Books, Harrisburg, PA. 543 pp.
- Bellrose, F.C., and Brown, L.G. 1941. The effect of fluctuating water levels on the muskrat population of the Illinois River Valley. Journal of Wildlife Management 5: 206-212.
- Ben-David, M.R., Flynn, W., and Schell, D.M. 1997. Annual and seasonal changes in diets of martens: evidence from table isotope analysis. Oecologia 111: 280-291.
- Berger, K.M., and Gese, E.M. 2007. Does interference competition with wolves limit the distribution and abundance of coyotes? Journal of Animal Ecology 76: 1075-1085.
- Bergeron, Y., Gauthier, S., Flannigan, M. and Kafka, V. 2004. Fire regimes at the transition between mixedwood and coniferous boreal forest in northwestern Quebec. Ecology 85(7): 1916-1932.
- Bergerud, A.T. and Ballard, W.B. 1988. Wolf predation on caribou: the Nelchina herd case history, a different interpretation. Journal of Wildlife Management 52:344-357.
- Bergerud, A.T., Ferguson, R., and Butler, H. 1990. Spring migration and dispersion of woodland caribou at calving. Animal Behaviour 39:360-368.
- Bergerud, A.T., Jakimchuk, R.D., and Carruthers, D.R. 1984. The buffalo of the north: caribou (Rangifer tarandus) and human developments. Arctic 37:7-22.
- Berven, K.A., and T.A. Grudzien. 1990. Dispersal in the wood frog (*Rana sylvatica*):implications for genetic population structure. Evolution 44:2047-2056.



- Beverly and Qamanirjuaq Caribou Management Board. 1999. Protecting Beverly and Qamanirjuaq caribou and caribou range. Available from http://www.arctic-caribou.com/bevreport.html [accessed 27 November 2009].
- Beverly and Qamanirjuaq Caribou Management Board. 2011. 29th annual report for the year ending March 31, 2011. Beverly and Qamanirjuaq Management Board, Stonewall, MB. 48 pp. Available from http://www.arctic-caribou.com/PDF/BQCMB_2010_2011_Annual_Report.pdf [accessed 9 March 2012].
- Bezener, A. and K. DeSmet. 2000. Manitoba Birds. Lone Pine Publishing.
- Bigelow, N. H., Brubaker, L.B., Edwards, M.E., Harrison, S.P., Prentice, I.C., Anderson, P.M., Andreev, A.A., Bartlein, P.J., Christensen, R.R., Cramer, W., Kaplan, J.O., Lozhkin, A.V., Matveyeva, N.V., Murray, D.F., McGuire, A.D., Razzhivin, V.Y., Ritchie, J.C., Smith, B., Walker, D.A., Gajewski, K., Wolf, V., Holmqvist, B.H., Igarashi, Y., Kremenetskii, K., Paus, A., Pisaric, F.J., and Volkova, V.S. 2003. Climate change and Arctic ecosystems: 1. Vegetation changes north of 55_N between the last glacial maximum, mid-Holocene, and present, J. Geophys. Res., 108(D19), 8170, doi:10.1029/2002JD002558, 2003.
- Bindernagel, J.A., and Anderson, R.C. 1972. Distribution of the meningeal worm in white-tailed deer in Canada. Journal of Wildlife Management 36: 1349-1353.
- Biology Dictionary Online. 2005. Online at http://www.biology-online.org/ [accessed 22 June 2010].
- BIOSIS Zoological Record Archive online at http://scientific.thomson.com/products/zr/, accessed on September 4, 2007.
- Bird, B., O'Brien, M., and Peterson, M. 2011. Beaver and climate change adaptation in North America: a simple, cost-effective strategy for the National Forest System. WildEarth Guardians, Grand Canyon Trust, The Lands Council. 57 pp.
- BirdLife International (2012) Species factsheet: Sterna hirundo. Downloaded from http://www.birdlife.org on 04/06/2012. Recommended citation for factsheets for more than one species: BirdLife International (2012) IUCN Red List for birds. Downloaded from http://www.birdlife.org on 04/06/2012.
- Bishop, C. 1992. The effects of pesticides on amphibians and the implications for determining causes of declines in amphibian populations. In: Declines in Canadian amphibian populations: designing a national monitoring strategy. Bishop. C. and K. Pettit (eds.), Canadian Wildlife Service, Burlington, Ontario. Occasional Paper Number 76.
- Bittner, S.L. and Rongstad, O.J. 1982. Snowshoe hare and allies. In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp.146-163.
- Bixler, A. and J.L. Gittleman. 2000. Variation in home range and use of habitat in the striped skunk (*Mephitis mephitis*). Journal of Zoology 251(4): 525-533.



- Blab, J., Riecken, U. and A. Ssymank. 1995. Proposal on a criteria system for a National Red Data Book of Biotopes. Landscape Ecology 10: 41-50.
- Blancher, P. and J. Wells. 2005. The Boreal Forest Region: North America's Bird Nursery.
- Blaustein, A. and D. Wake. 1990. Declining amphibian populations: A global phenomenon? Trends in Ecology and Evolution. 5:203-204.
- Blaustein, A. and D. Wake. 1995. The puzzle of declining amphibian populations. Scientific American. 272:52-57.
- Blaustein, A.R., P.D. Hoffman, D.G. Hokit, J.M. Kiesecker, S.C. Walls and J.B. Hays. 1994. UV repair and resistance to solar UV-B in amphibian eggs: A link to population decline? Proceeding of the National Academy of Sciences (USA) 91: 1791-1795.
- Blokpoel, H. and G.D. Tessier. 1986. The Ring-billed Gull in Ontario: a review of a new problem species. Canadian Wildlife Service Occ. Paper 57, 34pp.
- Blokpoel, H. and G. Tassier. 1991. Control of Ring-billed Gulls and Herring Gulls Nesting at Urban and Industrial Sites in Ontario, 1987-1990. Downloaded from:

 www.digitalcommons.unl.edu/cgi/viewcontent.gi?article=1005&context=ewdcc5.
- Boag, D. and M. Schroeder. 1992. Spruce Grouse, Number 5, pp. 1-29 In The Birds of North America (A. Poole and F. Gill Eds.) Philadelphia, PA, and American Ornithologists Union, Washington, DC.
- Bodaly, D., Jansen, W.A., Majewski, A.R., Fudge, R.J.P., Strange, N.E., Derksen, A.J., and Green, D.J. 2007. Post-impoundment time course of elevated mercury concentrations in fish in hydroelectric reservoirs in northern Manitoba, Canada. Archives of Environmental Contamination and Toxicology 53: 379-389.
- Boening, D.W. 2000. Ecological effects, transport, and fate of mercury: a general review. Chemosphere 40: 1335-1351.
- Bonan, G. B., and Shugart, H. H. 1989. Environmental factors and ecological processes in boreal forests. Ann. Rev. Ecol. Sys. 20:1-28.
- Bond, W. K., Cox, K.W., Heberlein, T., Manning, E.W., Witty, D.R., and Young, D.A. 1992. Wetland Evaluation Guide. Final Report of the Wetlands are not Wastelands Project. Issues Paper No. 1992-1. North American Wetlands Conservation Council (Canada), Ottawa, ON.
- Bond-Lamberty, B., Peckham, S.C., Ahl, D.E., and Gower, S.T. 2007. Fire as the dominant driver of central Canadian boreal forest carbon balance. Nature 450: 89-92.
- Bookhout Theodore A. 1994. Research and Management Techniques for Wildlife and Habitats. Edited by Theodore A. Bookhout, Fifth Edition Published by The Wildlife Society. Bethesda, Md. 740 pp.
- Bookhout, T.A. 1995. Yellow Rail (Coturnicops noveboracensis). The Birds of North America, No 139 (A. Poole and F. Gill, eds). The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, D.C.



- Boonstra, R., Mihok, S., Rodd, F.H., and Schwartz, B. 1982. Response of *Microtus pennsylvanicus* to multiple-capture traps. Canadian Journal of Zoology 60: 2965-2967.
- Boonstra, R., Krebs, C.J., and Stenseth, N.C. 1998. Population cycles in small mammals: the problem of explaining the low phase. Ecology 79: 1479-1488.
- Boonstra, R. 2004. Coping with changing northern environments: The role of the stress axis in birds and mammals. Integrative and Comparative Biology 44: 95-108.
- Boreal Songbird Initiative (BSI). 2007. Available online at http://www.borealbirds.org/birdguide/bd0365 species.shtml. Accessed September 2007.
- Boutin, S., and Birkenholz, D.E. 1998. Muskrats. In Wild furbearer management and conservation in North America. Edited *by* M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch. Ontario Ministry of Natural Resources, Peterborough, Ontario. pp. 314-325.
- Bowman, J., Donovan, D., and Rosatte, R.C. 2006. Numerical response of fishers to synchronous prey dynamics. Journal of Mammalogy 87: 480-484.
- Bowman, J., Ray, J.C., Magound, A.J., Johnson, D.S., and Dawson, F. Neil. 2010. Roads, logging, and the large-mammal community of an eastern Canadian boreal forest. Canadian Journal of Zoology 88: 454-467.
- Boyle, S. 2006. North American river otter (*Lontra canadensis*): a technical conservation assessment. USDA Forest Service, Rocky Mountain region. Available from http://www.fs.fed.us/r2/projects/scp/assessments/northamericanriverotter.pdf [accessed 27 November 2009].
- Boyle, S., and Owens, S. 2007. North American beaver (*Castor canadensis*): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Available from http://www.fs.fed.us/r2/projects/scp/assessments/northamericanbeaver.pdf [accessed 3 February 2010].
- Brand, C.J., Keith, L.B., and Fischer, C.A. 1976. Lynx responses to changing snowshoe hare densities in central Alberta. Journal of Wildlife Management 40: 416-428.
- Braune, B. 1987. Comparison of Total Mercury Levels in Relation to Diet and Moult for Nine Species of Marine Birds. Archives of Environmental Contamination and Toxicology 16:217-222.
- Braune, B.M. and D.E. Gaskin. 1987. A Mercury budget for the Bonaparte's Gull during autumn moult. Onis Scandinavica 18: 244-250.
- Braune, B., and D. Gaskin. 1987. Mercury Levels in Bonaparte's Gulls (*Larus philadelphia*) During Autumn Molt in the Quoddy Region, New Brunswick, Canada.
- Braune, B., B. Malone, N. Burgess, J. Elliott, N. Garrity, J. Hawkings, J. Hines, H. Marshall, W. Marshall, J. Rodrigue, B. Wakeford, M. Wayland, D. Weseloh and P. Whitehead. 1999. Chemical Residues in Waterfowl and Gamebirds Harvested in Canada, 1987-95. Technical Report Series No. 326. Canadian Wildlife Service.



- Braune, B. and B. Malone. 2006. Organochlorines and Mercury in Waterfowl Harvested in Canada. Environmental Monitoring and Assessment. 114: 331-359.
- Brezener, A. and K. Desmet. 2000. Manitoba Birds. Lone Pine Publishing. Edmonton, Alberta.
- Bridgham, S.D., Johnston, C.A., Pastor, J. and Updegraff, K. 1995. Potential feedbacks of northern wetlands on climate change. BioScience 45(4): 262-274.
- Bright, P.W. 1993. Habitat fragmentation problems and predictions for British mammals. Mammal Review 23: 101-111.
- Broders, H.G. and Forbes, G.J. 2004. Interspecific and intersexual variation in roost-site selection of northern long-eared and little brown bats in the Greater Fundy National Park Ecosystem. Journal of Wildlife Management 68(3): 602-610.
- Broders, H.G., Forbes, G.J., Woodley, S. and Thompson, I.D. 2006. Range extent and stand selection for roosting and foraging in forest-dwelling northern long-eared bats and little brown bats in the Greater Fundy Ecosystem, New Brunswick. Journal of Wildlife Management 70(5): 1174-1184.
- Brody, A.J., and Pelton, M.R. 1988. Seasonal changes in digestion of black bears. Canadian Journal of Zoology 66: 1482-1484.
- Brody, A.J., and Pelton, M.R. 1989. Effects of roads on black bear movements in western North Carolina. Wildlife Society Bulletin 15: 5-10.
- Brodo, I. M., Sharnoff, S. D., and Sharnoff., S. 2001. Lichens of North America. Yale University Press, New Haven, 795pp.
- Brooks, Robert P. and Davis W. James. 1987. Habitat Selection by Breeding Belted Kingfishers (Ceryle alcyon) Robert P. Brooks and W. James Davis *American Midland Naturalist* Vol. 117, No. 1 (Jan., 1987), pp. 63-70
- Brown, K.G., Elliott, C., and Messier, F. 2000. Seasonal distribution and population parameters of woodland caribou in central Manitoba: implications for forestry practices. Rangifer 12: 85-94.
- Brown, W.K., and Ross, I. 1994. Caribou-vehicle collisions: a review of methods to reduce caribou mortality on Highway 40, west-central Alberta. Terrestrial and Aquatic Environmental Managers Ltd. Calgary, AB. 69 pp.
- Brumm. H. 2004. The impact of environmental noise on song amplitude in a territorial bird. Journal of Animal Ecology. Volume 73, Issue 3, pages 434–440.
- Bubenik, A.B. 2007. Behaviour. In Ecology and management of the North American moose. Edited *by* A.W. Franzmann, and C.C. Schwartz. Wildlife Management Institute, Boulder, Colorado. pp. 173-221.
- Buehler, D.A. 2000. Bald Eagle No. 564 In The Birds of North America (A. Poole and F. Gill Eds.) Philadelphia, PA, and American Ornithologists Union, Washington, DC.
- Bull, E.L., and Heater, T.W. 2000. Resting and denning sites of American martens in northeastern Oregon. Northwest Science 74: 179-185.



- Bull, E.L. and J.R. Duncan. 1993. Great Gray Owl (Strix nebulosa). In The Birds of North America, No. 41 (A. Poole and F. Gill, Eds.). Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Burger, J. 1988. Effects of motorboats and personal watercraft on flight behavior over a colony of common terns. Condor, 100 (3): 528–534.
- Burger, J. and M. Gochfeld. 1991. The Common Tern: Its Breeding Biology and Social Behavior. Columbia University Press, NY. 413 p.
- Burger, J. and M. Gochfeld. 2002. Bonaparte's Gull (Chroicocephalus philadelphia), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/634
- Burke, D.M. and E. Nol. 1998. Influence of food abundance, nestsite habitat, and forest fragmentation on breeding ovenbirds. Auk, 115: 96-104.
- Burns, R.M. and B.H. Honkala, tech. coords. 1990. Silvics of North America: 1: Needleleafs; 2. Hardwoods. Agriculture Handbook 654. U.S. Department of Agriculture, Forest Service, Washington, DC. Vol. 2. 877pp.
- Burton, P.J., Parisien, M.-A., Hicke, J.A., Leduc, A., Gauthier, S., Bergeron, Y., and Flannigan, M. 2008. Large fires as agents of ecological diversity in the North American boreal forest. International Journal of Wildland Fire 17(6) 754–767.
- Buskirk, S.W. 1984. Seasonal use of resting sites by marten in south-central Alaska. Journal of Wildlife Management 48: 950-953.
- Buskirk, S.W., and MacDonald, S.O. 1984. Seasonal food habits of marten in south-central Alaska. Canadian Journal of Zoology 62: 944-950.
- Buskirk, S.W., and Ruggiero, L.F. 1994. American marten. In The scientific basis for conserving carnivores: American marten, fisher, lynx, and wolverine in the western United States. Edited *by* L.F. Ruggiero, K.B. Aubry, and S.W. Buskirk. USDA Forest Service General Technical Report, Fort Collins, Colorado. pp. 7-37.
- Butcher, G.S., and D. K. Niven. 2007. Combining Data from the Christmas Bird Count and the Breeding Bird Survey to Determine the Continental Status and Trends of North America Birds. National Audubon Society, Ivyland, PA. 34pp.
- CCFM (Canadian Council of Forest Ministers). 1995. Defining sustainable forest management: a Canadian approach to criteria and indicators. Natural Resources Canada, Canadian Forest Service, Ottawa.
- CEAA (Canadian Environmental Assessment Agency). 1996. A guide on biodiversity and environmental assessment. Prepared jointly with the Biodiversity Convention Office. Minister of Supply and Services Canada. 15 pp.
- Cadman, M.D, and Page A.M. 1994. COSEWIC status report on the Short-eared Owl Asio flammeus in Canada. Committee on the Status of Endangered Wildlife in Canada. i + ii 53 pp.



- Camill, P. 1999. Peat accumulation and succession following permafrost thaw in the boreal peatlands of Manitoba, Canada. Ecoscience 6:592-602.
- Camill, P. 2005. Permafrost thaw accelerates in boreal peatlands during late-20th century climate warming. Climatic Change 68: 135-152.
- Camill, P. and J.S. Clark. 1998. Climage change disequilibrium of boreal permafrost peatlands caused by local processes. American Naturalist 151:207-222.
- Camill, P. and J.S. Clark. 2000. Long-term perspectives on lagged ecosystem responses to climate change permafrost in boreal peatlands and the grassland/woodland boundary. Ecosystems 3:534-544.
- Canadian Amphibian and Reptile Conservation Network (CARCNET) 2003. Accessed online at: http://www.carcnet.ca/english/reptiles/tour/province/rman.htm
- Canadian Amphibian and Reptile Conservation Network (CARCNET) 2010. Accessed online at: http://www.carcnet.ca/english/amphibians/amphissues.php
- Canadian Council of Ministers of the Environment. 2000. Canadian tissue residue guidelines for the protection of wildlife consumers of aquatic biota: methyl mercury. In Canadian environmental quality guidelines, 1999. Canadian Council of Ministers of the Environment, Winnipeg, Manitoba.
- Canadian Environmental Assessment Agency. 1996.. A Guide on Biodiversity and Environmental Assessment. Minister of Supply and Services Canada. Prepared jointly with the Biodiversity Convention Office.
- Canadian Wildlife Service (CWS). 2005. National migratory birds monitoring and reporting online at http://www.cws-scf.ec.gc.ca/mgbc/trends/index.cfm?lang=e&go=home.page#trends, Last updated January 2005.
- Canadian Wildlife Service 2008. Environment Canada Breeding Bird Survey from http://www.cws-scf,ec.gc.ca/nwrc-cnrf/default.aasp?lang=en&n=5EE0ADBA
- Canadian Wildlife Service (CWS). 2009. Canadian Bird Trends Database Homepage. Accessed online on May 1, 2012 at http://www.cws-scf.ec.gc.ca/mgbc/trends/index.cfm?lang=e&go=info.bird&speciesid=510&provid=6&sort=e
- Canadian Wildlife Service (CWS). 2009. Canadian Bird Trends Database: Yellow-bellied Sapsucker.

 Accessed Online at http://www.cws-scf.ec.gc.ca/mgbc/trends/index.cfm?lang=e&go=info.bird&speciesid=4020&provid=0&sort=e
- Canadian Wildlife Service (CWS). 2009. Migratory Birds Conservation Monitoring and Reporting,
 Canadian Bird Trends, Database Home Page, American White Pelican. Accessed online at
 http://www.cwsscf.ec.gc.ca/mgbc/trends/index.cfm?lang=e&go=info.bird&speciesid=1250&provid=0&sort=e
- Cannings, R.A. and S.G. Cannings, 1998. Robber flies (Insecta: Diptera: Asilidae) in Smith, I.M., and G.G.E. Scudder, eds. Assessment of species diversity in the Montane Cordillera Ecozone. Ecological Monitoring and Assessment Network, online at



- http://www.naturewatch.ca/eman/reports/publications/99 montane/robber f/robber02.html. Accessed September 2007.
- Canadian Biodiversity Information Facility (CBIF). 2003. Government of Canada species bank: butterflies. Online at http://www.cbif.gc.ca/spp_pages/butterflies/species/WesternPineElfin_e.php. Accessed April 3, 2008.
- Carbyn, L.N. 1998. Gray wolf and red wolf. In Wild furbearer management and conservation in North America. Edited *by* M. Novak, J.A. Baker, J.A., M.E. Obbard, and B. Malloch. Ontario Ministry of Natural Resources, Peterborough, Ontario. pp. 359-376.
- Carbyn, L.N. 1974. Wolf population fluctuations in Jasper National Park, Alberta, Canada. Biological Conservation 6: 94-101.
- Carbyn, L.N. 1998. Gray wolf and red wolf. In Wild furbearer management and conservation in North America. Edited *by* M. Novak, J.A. Baker, J.A., M.E. Obbard, and B. Malloch. Ontario Ministry of Natural Resources, Peterborough, Ontario. pp. 359-376.
- CARCNET. 2012. Factors contributing to declines in amphibian population sizes and occurence.

 Available at: http://www.carcnet.ca/english/amphibians/amphissues.php
- Carey, Brad, C. Ward, C.E. Curtis, L. De March, G.E. Holland, R.F. Koes, R.W. Nero, R.J. Parsons, P. Taylor, M. Waldron, and G. Walz. 2003. The Birds of Manitoba. Manitoba Naturalists Society, Freisens Printers, Altona, Manitoba.
- Carey, Cynthia. 2000. Infectious Disease and Worldwide Declines of Amphibian Populations, with Comments on Emerging Diseases in Coral Reef Organisms and in Humans. Environ Health Perspect 1 08(suppl 11):143-150 (2000). http://www.ehpnetl.niehs.nih.gov/docs/2000/suppl-1/143-150carey/abstract.html
- Carr, L. and L. Fahrig. 2001. Effect of Road Traffic on Two Amphibian Species of Differing Vagility. Conservation Biology 15(4): 1071-1078.
- Case, R.M. 1978. Interstate highway road-killed animals: a data source for biologists. Wildlife Society Bulletin 6: 8-13.
- Chalfoun, Anna D., Thompson III, Frank R and Ratnaswamy, Mary J. 2002. Nest Predators and Fragmentation: a Review and Meta-Analysis. Conservation Biology. <u>Volume 16, Issue 2, pages 306–318</u>, April 2002.
- Chapin, F.S., Matson, P.A., and Mooney, H.A. 2002. Principles of terrestrial ecosystem ecology. Springer Science + Business Media, New York. 392 pp.
- Chapin, T.D., Harrison, D.J., and Katnik, D.D. 1998. Influence of landscape pattern on marten. Conservation Biology 12: 1327-1337.
- Chartier, B. 1994. A Birder's Guide to Churchill. American Birding Association, Inc. Colorado Springs, Colorado, USA.



- Chatwin, S.C. 1981. Permafrost aggradation and degradation in a subarctic peatland. M.Sc. Thesis, University of Alberta, Edmonton, Alberta.
- Chisholm, S., Davies, J.C., Mulamoottil, G., and Capatos, D. 1997. Predictive models for identifying potentially valuable wetlands. Canadian Water Resources Journal 22(3): 249-267.
- Christy, R.M. 1885. Notes on the land and fresh-water Mollusca of Manitoba. Journal of Conchology 4: 339-349.
- Clark, T.W., Anderson, E. Douglas, C., and Strickland, M. 1987. *Martes americana*. Mammalian Species 289: 1-8.
- Clark, W.R., and Kroeker, D.W. 1993. Population dynamics of muskrats in experimental marshes at Delta, Manitoba. Canadian Journal of Zoology 71: 1620-1628.
- Clark, R. G. and D. Shutler. 1999. Avian habitat selection: pattern from process in nest-site use by ducks? Ecology 80:272-287.
- Clements, C. 1991. Beavers and riparian ecosystems. Rangelands 13: 277-279.
- Clevenger, A.P., Chruszcz, B., and Gunson, K.E. 2003. Spatial patterns and factors influencing small vertebrate fauna road-kill aggregations. Biological Conservation 109: 15-26.
- CNP Keeyask Environmental Evaluation Report. 2012. Keeyask Environmental Evaluation: A report on the environmental effects of the proposed Keeyask Project on Tataskweyak Cree Nation and War Lake First Nation. January 2012. 78 pp. + appendices.
- Coady, J.W. 1982. Moose (*Alees alees*). In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 902-922.
- Cobb, N.A. 1921. Nematodes collected by the Canadian Arctic Expedition under Stefansson. Journal of Parasitology, 7: 195-196.
- Cogbill 2005.
- Coleman, J.L. and Barclay, R.M.R. 2011. Influence of urbanization on demography of little brown bats (*Myotis lucifugus*) in the prairies of North America. PLoS ONE 6(5) e20483: 1-10.
- Colescott, J.H., and Gillingham, M.P. 1998. Reaction of moose (*Alces alces*) to snowmobile traffic in the Greys River Valley, Wyoming. Alces 34: 329-338.
- Committee on the Status of Endangered Wildlife in Canada. 2003. Environment Canada. Available from http://www.cosewic.gc.ca/eng/sct5/index e.cfm [accessed 25 February 2010].
- Committee On Status Of Endangered Wildlife In Canada (COSEWIC). 2003. COSEWIC Assessment and update status report on the wolverine *Gulo gulo* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. 41 pp. Available from http://www.sararegistry.gc.ca/virtual_sara/files/cosewic/sr_wolverine_e.pdf [accessed 22 August 2011].



- Committee On Status Of Endangered Wildlife In Canada (COSEWIC) 2006. COSEWIC assessment and status report on the Rusty Blackbird Euphagus carolinus in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vi + 28 pp.
- Committee On Status Of Endangered Wildlife In Canada (COSEWIC). 2007. Database and Listing: http://www.cosewic.gc.ca/eng/sct5/index e.cfm.
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC) 2008. Species assessed and designated in a "risk category." Retrieved from http://www.cosewic.gc.ca/eng/sct1/ index e.cfm
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC) 2011.Wildlife Speceis Search:
 Olive-sided flycatcher. Retrieved April 30, 2012 from
 http://www.cosewic.gc.ca/eng/sct1/searchdetail-e.cfm
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2012. Emergency assessment concludes that three bat species are endangered in Canada. Press Release [online]. Available from http://www.cosewic.gc.ca/eng/sct7/Bat_Emergency_Assessment_Press_Release_e.cfm [accessed 26 April 2012].
- Conaway, C.H. 1952. Life history of the water shrew (*Sorex palustris navigator*). American Midland Naturalist 48(1): 219-248.
- Conservation International (2004). Amphibians in dramatic decline; study finds nearly one-third of species threatened with extinction. Science Daily. Retrieved July 22, 2010, from http://www.sciencedaily.com / releases/2004/10/041015103700.htm
- Cook, D.B., and Hamilton, W.J.J. 1944. The ecological relationship of red fox food in eastern New York. Ecology 24: 94-104.
- Cooper, J. 1978. The history and breeding biology of the Canada Geese of Marshy Point, Manitoba. Wildlife Monographs. No. 61. July 1978. 87pp.
- Copeland, J.P., Peek, J.M., Groves, C.R., Melquist, W.E., McKelvey, K.S., McDaniel, G.W., Long, C.D., and Harris, C.E., 2007. Seasonal habitat associations of the wolverine in central Idaho. Journal of Wildlife Management 71(7): 2201-2212.
- Corn, P and E. Muths. 2004. Variable breeding phenology effects the exposure of amphibian embryos to ultraviolet radiation: a reply. Ecology (85)6: 1759-1763.
- Cornwell, G.W. 1963. Observations on the breeding biology and behaviour of a nesting population of Belted Kingfishers. Condor 65: 426-431.
- COSEWIC 2004. COSEWIC assessment and status report on flooded jellyskin *Leptogium rivulare* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. Vi + 30pp. (www.sararegistry.gc.ca/status/status e.cfm)
- COSEWIC. 2007. Database and Listing: http://www.cosewic.gc.ca/eng/sct5/index_e.cfm.
- COSEWIC, 2008. Species Status Reports. Online at http://www.cosewic.gc.ca/eng/sct2/index_e.cfm, accessed April 8, 2008.



- COSEWIC. 2009. COSEWIC assessment and status report on the Horned Grebe Podiceps auritus, Western population and Magdalen Islands population, in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vii + 42 pp.

 (www.sararegistry.gc.ca/status/status e.cfm).
- Cram, M. 2004. How to identify and manage Pine Wilt Disease and treat wood products infested by the pinewood nematodes. Prepared for United States Department Agriculture by Forest Service Northeastern ACuthebert and Wires 1999)rea State & Private Forestry. Report NA-FR-01-04.
- Crane, M.F., and Fischer, W.C. 1986. Fire ecology of the forest habitat types of central Idaho. USDA Forestry Service General Technical Report INT-218. Intermountain Research Station, Ogden, Utah. 86 pp.
- Cree Nation Partners. 2011. Assessment of Environmental Effects of the Proposed Keeyask Project on Tataskweyak Cree Nation and War Lake First Nation.
- Crête, M., and Courtois, R. 1997. Limiting factors might obscure population regulation of moose (Cervidae: *Alces alces*) in unproductive boreal forests. Journal of Zoology 242: 765-781.
- Crick, H.Q.P. 2004. The impact of climate change on birds. Ibis. 146:48-56.
- Crooks, K.R. 2002. Carnivore sensitivities to fragmentation. Conservation Biology 16: 488-502.
- Cumming, H.G. 1992. Woodland caribou: facts for forest managers. The Forestry Chronicle 68: 481-491.
- Curtis, P.D. and P.G. Jensen. 2004. Habitat features affecting beaver occupancy along roadsides in New York State. Journal of Wildlife Management 68(2): 278-287.
- Cushwa, C.T., and Coady, J. 1976. Food habits of moose, *Alces alces*, in Alaska: a preliminary study using rumen contents analysis. Canadian Field Naturalist 90: 11-16.
- Cuthbert, Francesca J. and Linda R. Wires. 1999. Caspian Tern (Hydroprogne caspia), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/403
- Danks, H.V. (Editor). 1979. Canada and its insect fauna. Memoirs of the Entomological Society of Canada, 108: 1-573.
- Danks, H. V. 1981. Arctic arthropods. A review of systematics and ecology with particular reference to North American fauna. Entomological Society of Canada, Ottawa.
- Danks, H. V. and R. G. Footit. 1989. Insects of the boreal zone of Canada. Canadian Entomologist, 121: 626-690.
- Dansereau, M., Larivière N., Du Tremblay, D., Bélanger D. 1999. Reproductive performance of two generations of female semi-domesticated mink fed diets containing organic mercury contaminated fresh water fish. Archive of Environmental Contamination and Toxicology 36: 221-226.



- Darby, W.R. and Pruitt, W.O. Jr. 1984. Habitat use, movements and grouping behaviour of woodland caribou, Rangifer tarandus caribou, in southeastern Manitoba. Canadian Field-Naturalist 98: 184-190.
- Dawson, F.N., Magoun, A.J., Bowman, J., and Ray, J.C. 2010. Wolverine, *Gulo gulo*, home range size and denning habitat in lowland boreal forest in Ontario. Canadian Field-Naturalist 124(2): 139-144.
- Dechant, J. A., M. L. Sondreal, D. H. Johnson, L. D. Igl, C. M. Goldade, M. P. Nenneman, and B. R. Euliss. 1998 (revised 2003). Effects of management practices on grassland birds: Short-eared Owl. Northern Prairie Wildlife Research Center, Jamestown, ND. 10 pages.
- DeLong, J. P., and K. Steenhof. 2004. Effects of management practices on grassland birds: Prairie Falcon. Northern Prairie Wildlife Research Center, Jamestown, ND. 25 pages.
- DeWoody, A., Nogle, J.M., Hoover, M., and Dunning, B. 2010. Monitoring and predicting traffic induced vertebrate mortality near wetlands. Publication FHWA/IN/JTRP-2010/16. Joint Transportation Research Program, Indiana Department of Transportation and Purdue University, West Lafayette, Indiana. 110 pp.
- Department of Justice Canada. 2008. Species At Risk Act. Downloaded from: http://laws.justice.gc.ca/en/s-15.3/text.html.
- Derksen, D. V. and W. D. Eldridge. 1980. Drought-Displacement of Pintails to the Arctic Coastal Plain, Alaska. The Journal of Wildlife Management, Vol. 44(1): 224-229
- Desai-Greenaway, P. and Price, I.M. 1976. Mercury in Canadian fish and wildlife used in the diets of native peoples. Canadian Wildlife Service. Available at the Canadian Wildlife Service Library, Winnipeg, Manitoba.
- DesGranges, J.-L., and B. Houde. 1989. Influence de l'acidité et d'autres paramètres environnementaux sur la distribution des oiseaux lacustres au Québec. p. 7-44, in J.-L. DesGranges (eds). Étude des effets de l'acidification sur la faune aquatique au Canada: les oiseaux lacustres et leurs habitats au Québec. Environment Canada, Canadian Wildlife Service, Québec Region. Occasional Paper no 67, 73 p.
- Des Granges, J., Rodrigue, J., Tardif, B. and M. Laperle. 1998. Mercury Accumulation and Biomagnification in Ospreys (*Pandio haliaetus*) in the James Bay and Hudson Bay Regions of Quebec. Archives of Environmental Contamination and Toxicology 35(2): 330-341.
- Des Granges, J., Rodrigue, J., Tardif, B. and M. Laperle. 1999. Breeding Success of Osprey under High Seasonal Methylmercury Exposure. In *Lucotte, M., Schetagne, R., Therien, N., Langlois, C., and A. Tremblay (Eds)*. Mercury in the Biogeochemical Cycle. Natural Environments and Hydroelectric Reservoirs of Northern Quebec. Springer, New York. pp. 334.
- Dillon Consulting Limited. 2003. Gull Generating Station Access Review. Final Report prepared for Manitoba Hydro. December 2003.



- Dobbyn, J. 1994. Atlas of the mammals of Ontario. Federation of Ontario Naturalists, Don Mills, Ontario. p. 65. Available at http://www.ontarionature.org/discover/resources/publications.php [accessed 23 August 2011].
- Dodge, W.E. Porcupine (*Erethizon dorsatum*). In Wild mammals of North America: biology, management, and economics. Edited *by* J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 355-366.
- Donohoe, R.W. 1966. Muskrat reproduction in areas of controlled and uncontrolled water-level units. Journal of Wildlife Management 30: 320-326.
- Douglas, C.W., and Strickland, M.A. 1998. Fisher. In Wild furbearer management and conservation in North America. Edited by M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch. Ontario Ministry of Natural Resources, Peterborough, Ontario. pp. 510-529.
- Downes J.A. 1965. Adaptations of Insects in the Arctic. Annual Review of Entomology, 10: 257-274.
- Downes, C.M., and B.T. Collins. 2007. Canadian Bird Trends Web site Version 2.2. Canadian Wildlife Service, Environment Canada, Gatineau, Quebec, K1A 0H3.
- Downes, C.M., B.T. Collins, and M. Damus. 2007. Canadian bird trends web site

 Version 2.1. Migratory Birds Conservation Division, Canadian Wildlife Service, Hull, Quebec.

 [online] Available at: www.cws-scf.ec.gc.ca/birds/trends/default_e.cfm.
- Drapeau, P., A. Leduc, J-F. Giroux, J-P.L. Savard, Y. Bergeron, and W.L. Vickery. 2000. Landscape-scale disturbances and changes in bird communities of boreal mixed-wood forests. Ecological Monographs 70, 423-444.
- Driver, E.A., and A.J. Derksen. 1979. Mercury levels in wildlife within the Nelson River basin of Manitoba. MS Report No. 79-53. Manitoba Department of Mines, Natural Resources and Environment, Winnipeg, Manitoba.
- Duchesne, L.C., McAlpine, R.S., 1993. Using carabid beetles (Coleoptera: Carabidae) as a means to investigate the effect of forestry practices on soil diversity. Forestry Canada Petawawa National Forestry Institute, Chalk River, Ontario, Canada Report No. 16.
- Ducks Unlimited. 2010. Using Buffers to Assess Waterfowl Nesting Habitat for Boreal Waterfowl. Literature Review by James Kenyon, Ducks Unlimited.
- Duncan, J.R., and P.A. Duncan. 1998. Northern Hawk Owl (*Surnia ulula*). In The Birds of North America, No. 356 (A. Pool and F. Gill, Eds.). The Birds of North America, Inc., Philadelphia, PA.
- Duncan, J. 1996. Conservation status ranks of the birds of Manitoba. Manitoba Conservation Data Centre, MS Report, 96-05. Winnipeg.
- Dunn, E.H. 2005. National action needs for Canadian Landbird Conservation, Version 1. Canadian Wildlife Service Landbird Committee, Ottawa, Canada. Accessed at: http://www.cws-scf.ec.gc.ca/mgbc/action/index_e.cfm.



- Dunn, E.H., B.L. Altman, J. Bart, C.J. Beardmore, H. Berlanga, P.J. Blancher, G.S. Butcher, D.W. Demarest, R. Dettmers, W.C. Hunter, E.E. Iñigo-Elias, A.O. Panjabi, D.N. Pashley, C.J. Ralph, T.D. Rich, K.V. Rosenberg, C.M. Rustay, J.M. Ruth, and T.C. Will. 2005. High priority needs for range-wide monitoring of North American landbirds. Partners in Flight Technical Series No. 2 [online]. Available at: http://www.partnersinflight.org/pubs/ts/02-MonitoringNeeds.pdf. Accessed June 2006.
- Dussault, C., Ouelett, J.-P.Courtois, R. Huot, J., Breton, L., and Jolicoeur, H. 2005. Linking moose habitat selection to limiting factors. Ecography 28: 619-628.
- Dussault, C., Oullet, J.-P., Laurian, C., Courtois, R. Poulin, M, and Breton, L. 2007. Moose movement rates along highways and crossing probability models. Journal of Wildlife Management 71: 2338-2345.
- Dyer, S.J., O'Neill, J.P., Wasel, S.M., and Boutin, S. 2001. Avoidance of industrial development by woodland caribou. Journal of Wildlife Management 65:531-542.
- Dyer, S.J., O'Neill, J.P., Wasel, S.M., and Boutin, S. 2002. Quantifying barrier effects of roads and seismic lines on movement of female woodland caribou in northeastern Alberta. Canadian Journal of Zoology 80:839-845.
- Dyke, C. 2008. Characterization of woodland caribou (Rangifer tarandus caribou) calving habitat in the boreal plains and boreal shied ecozones of Manitoba and Saskatchewan. Masters Thesis, Natural Resources Institute, University of Manitoba, Winnipeg, Manitoba. 93 pp.
- Dzus, E., Ray, J., Thompson, I., and Wedeles, C. 2010. Caribou and the National Boreal Standard: Report of the FSC Canada Science Panel. FSC Canada. 71 pp.
- Eadie, W.R. 1943. Food of the red fox in southern New Hampshire. Journal of Wildlife Management 7: 74-77.
- Eagle, T.C., and Whitman, J.S. 1998. Mink. In Wild furbearer management and conservation in North America. Edited by M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch. Ontario. pp. 614-624.
- Eberhart, K. E. and Woodard, P. M. 1987. Distribution of residual vegetation associated with large fires in Alberta. Can. J. For. Res. 17: 1207-1212.
- Eberhardt, L. S. 1994. Sap-feeding and its consequences for reproductive success and communication in Yellow-bellied Sapsuckers (Sphyrapicus varius). Phd Thesis. Univ. of Florida, Gainesville.
- Ecological Monitoring and Assessment Network (EMAN). 2007. Online at http://www.eman-rese.ca/eman/. Accessed April 2008.
- Ecological Stratification Working Group. 1996. A National Ecological Framework For Canada. Centre for Land and Biological Resources Research, Research Branch, Agriculture and Agri-Food Canada; State of the Environment Directorate, Environment Conservation Service, Environment Canada
- ECOSTEM Ltd. 2004a. Unpublished preliminary habitat classification mapping provided to TetrES Consultants in May 2004.



- ECOSTEM Ltd. 2004b. Harvesting to regenerate a natural forest: guidelines for landscape design and cut-block operations. Prepared for the Manitoba Model Forest and Tembec Paper Group- Pine Falls Operation. 120 pp.
- Ecosystem Monitoring and Assessment Network (EMAN). 2004. Anuran Species Richness and Calling Phenology. Retrieved March 2007 from http://www.eman-rese.ca/eman/ecotools/protocols/terrestrial/anuran/intro.html
- Ehnes, J. W. 1998. The influences of site conditions, age and disturbance by wildfire or winter logging on the species composition of naturally regenerating boreal plant communities and some implications for community resilience. Ph. D. thesis, Department of Botany, University of Manitoba, Winnipeg, Manitoba.
- Ehnes, J. W. 2000. What does a large wildfire disturb and what does it leave in the eastern two-thirds of the Manitoba Model Forest? Manitoba Model Forest Project # 99–2-49, Manitoba Model Forest, Pine Falls, Manitoba.
- Ehnes, J. W. 2003. Harvesting To Regenerate A Natural Forest-Short-Term Forest Recovery In A Recent Wildfire And Three Timber Harvest Trial Areas. Report prepared for The Manitoba Model Forest and Tembec Paper Group-Pine Falls Operation
- Ehnes, J. W. and ECOSTEM Ltd. 2006. Indirect Terrestrial Habitat Loss And Conversion Adjacent To Existing Transmission Line Rights-Of-Way In North-Western Manitoba. Prepared for ND LEA Engineers & Planners Inc. and Manitoba Hydro.
- Ehnes, J. W. 2011. Evaluation of Pimachiowin Aki as an outstanding representation of healthy multi-level boreal ecosystems. Prepared for Pimachiowin Aki Nomination for Inscription on the World Heritage List. 215 pp.
- Ehrlich, P., D. Dobkin and D. Wheye. 1988. The birders handbook: a field guide to the natural history of North American birds. New York. Simon and Schuster Inc.
- Ellis, D.H., C.H. Ellis, and D.P. Mindell. 1991. Raptor responses to low level jet aircraft and sonic booms. Environmental Pollution 74:53-83.
- Ellison, W.G. 1985. Belted Kingfisher, Ceryle alcyon. p. 152-153. In S.B. Laughlin and D.P. Kible (ed.) The Atlas of Breeding Birds of Vermont. University Press of New England, Hanover.
- Encana Corporation. 2007. Environmental Impact Statement for the EnCana Shallow Gas Infill Development in CFB Suffield National Wildlife Area: Volume 3- Terrestrial Biophysical Assessment.
- Englefield, P.G.C. 1995. Rate of Permafrost Degradation in Peatlands. M.Sc. Thesis, University of Alberta, Edmonton, Alberta.
- Environment Canada. 1987. Summary report: Canada-Manitoba agreement on the study and monitoring of mercury in the Churchill River Diversion. Environment Canada/Manitoba Conservation.



- Environment Canada. 2000. The status of mercury in Canada report #2: a background report to the commission for environmental cooperation North American Task Force on Mercury. Environment Canada.
- Environment Canada. 2008a. Living with Ring-billed Gulls. Downloaded from: http://www.dsp.pwgsc.gc.ca/collection/cw66-246-2005E.pdf.
- Environment Canada. 2008b. Terrestrial Ecozones of Canada. Available at: http://www.ec.gc.ca/soer-ree/English/Framework/NarDesc/canada e.cfm.
- Environment Canada. 2008c. The Science of Climate Change: Overview. Retrieved from http://www.ec.gc.ca/climate/overview_science-e.html. February 20, 2008.
- Environment Canada. 2010a2010. Invasive Alien species in Canada. [Online] http://www.ec.gc.ca/eee-ias/Default.asp?lang=En&n=C4637128-1. Accessed May 19, 20102008d. Scientific review of the identification of critical habitat for woodland caribou (Rangifer tarandus caribou), Boreal population, in Canada. Environment Canada, Ottawa, Ontario. 72 pp. plus appendices.
- Environment Canada. Environment Canada. 2010. Mercury in the Food Chain. Available from http://www.ec.gc.ca/mercure-mercury/default.asp?lang=en&n=d721ac1f-1 [accessed April 17, 2012].
- Environment Canada. 2011. Recovery strategy for the woodland caribou, boreal population (Rangifer tarandus caribou) in Canada [proposed]. Species at Risk Act Recovery Strategy Series. Environment Canada, Ottawa, Ontario. 55 pp.
- Environmental Law Institute. 2003. Conservation Thresholds for Land Use Planners. Environmental Law Institute, Washington D.C. 55 pp.
- Environmental Protection Agency. 2007. Method 7473 mercury in solids and solutions by thermal decomposition amalgamation, and atomic absorption spectrophotometry. Available from http://www.epa.gov/waste/hazard/testmethods/sw846/pdfs/7473.pdf [accessed 30 November 2009].
- Erb, J., Stenseth, N.C., and Boyce, M.S. 2000. Geographic variation in cycles of Canadian muskrats (*Ondatra zibethicus*). Canadian Journal of Zoology 48: 1009-1016.
- Errington, P.L. 1963. Muskrat populations. Iowa State University Press, Ames, Iowa. 665 pp.
- Erskine, A.J. 1977. Birds in Boreal Canada. Canadian Wildlife Service Report Series Number 41. pp.73.
- Euskirchen, S.E., Chen, J., and Runcheng, B. 2001. Effects of edges on plant communities in a managed landscape in northern Wisconsin. Forest Ecology and Management 148: 93-108.
- Evans, R.D., Addison, E.M., Villeneuve, J.Y., Macdonald, K.S., and Joachim, D.G. 2000. Distribution of inorganic and methyl mercury among tissues in mink (*Mustela vison*) and otter (*Lutra canadensis*). Environmental Research Section A 84: 133-139.
- Evers, David C. 2005. Mercury connections: the extent and effects of mercury pollution in Northeastern North America. BioDiversity Research Institute. Gorham, Maine. 28 pp.



- Evers, D., Burgess, N., Champoux, L., Hoskins, B., Major, A., Goodale, W., Taylor, R., Poppenga, R., and T. Daigle. 2005. Patterns and interpretation of mercury exposure in freshwater avian communities in northeastern North America. Exotoxicology 14: 193-221.
- Evers, D, Han, Y., Driscoll, C., Kamman, N., Goodale, M., Lambert, K., Holsen, T., Chen, C., Clair, T., and T. Butler. 2007. Identification and evaluation of biological hotspots of mercury in the northeastern U.S. and eastern Canada. Bioscience. 57 (1): 29-43. Available from www.aibs.org/bioscience-press-releases/resources/Evers%20final.pdf [accessed 20 June 2012].
- Fagerstone, K.A. 1998. Black-footed ferret, long-tailed weasel, short-tailed weasel, and least weasel. In Wild Furbearer Management and Conservation in North America. Edited by J. Bedford and G. Thompson. Ontario Fur Managers Federation, Peterborough, ON. pp. 548-573.
- Fahrig, L. 1997. Effects of Habitat Fragmentation on Biodiversity. Annual Review of Ecology, Evolution, and Systematics. Vol. 34, (2003), pp. 487-515.
- Farris, F.F., Dedrick, R.L., Allen, P.V., and Smith, J.C. 1993. Physiological model for the pharmacokinetics of methyl mercury in the growing rat. Toxicology and Applied Pharmacology 119: 74-90
- FEARO (Federal Environmental Assessment Review Office). 1994. Reference Guide: Addressing Cumulative Environmental Effects.
- Fennessy, M. S., Jacobs, A.D., and Kentula, M.E. 2007. An evaluation of rapid methods for assessing the ecological condition of wetlands. Wetlands 27: 543-560.
- Ferguson, R. S. and S. G. Sealy. 1983. Breeding ecology of the Horned Grebe, Podiceps auritus, in southwestern Manitoba. Can. Field-Nat. 97:401-408.
- Ferron, J., and Ouellet, J.P. 1992. Daily partitioning of summer habitat and use of space by the snowshoe hare in boreal forest. Canadian Journal of Zoology 70: 2178-2183.
- Fies, M.L., Martin, D.D., and Blank, G.T. 1987. Bears: their biology and management. International Conference of Bear Research and Management 7: 369-372.
- Fimreite, N. 1974. Mercury Contamination of Aquatic Birds in Northwestern Ontario. Journal of Wildlife Management 38(1): 120-131.
- Fischer, J., and Lindenmayer, D. B. 2007. Landscape modification and habitat fragmentation: a synthesis. Global Ecology and Biogeography, 16, 265–280.
- Fisher, J.T., and Wilkinson, L. 2005. The response of mammals to forest fire and timber harvest in the North American boreal forest. Mammal Review 35: 51-81.
- Fischer, W.C., and Bradley, A.F. 1987. Fire ecology of western Montana forest habitat types. USDA Forestry Service General Technical Report INT-223. Intermountain Research Station, Ogden, Utah. 95 pp.
- Fitzgibbon, W.E., Langlais, M., Marpeau, F., and Morgan, J.J. 2005. Modeling the circulation of a disease between two host populations on non coincident spatial domains. Biological Invasions 7: 863-875.



- Flannigan, M.D., and Van Wagner, C.E. 1991. Climate change and wildfire in Canada. Can. J. For. Res. 21: 66–72.
- Flaspohler, David J., Stanley A. Temple, and Robert N. Rosenfield. 2001. Species-specific edge effects on nest success and breeding bird density in a forested landscape. Ecological Applications 11:32–46.
- FLCN (Fox Lake Cree Nation). 2008. Preliminary sturgeon TK study. Draft. *Prepared by:* Leslie Agger, support from: Dr. Terry Dick and Lorne Hanks. Fox Lake Cree Nation, Manitoba.
- FLCN (Fox Lake Cree Nation). 2010. Keeyask Traditional Knowledge Report. Draft. Fox Lake Cree Nation, Manitoba.
- FLCN Environment Evaluation Report (Draft). 2012. Fox Lake Cree Nation Environment Evaluation Report (Draft) Draft submitted by: Fox Lake Cree Nation Negotiations June 7, 2012.
- FNA (Flora of North America Editorial Committee), eds. 1993+. Flora of North America North of Mexico. 14+ vols. New York and Oxford. Vol. 1, 1993; vol. 2, 1993; vol. 3, 1997; vol. 4, 2003; vol. 5, 2005; vol. 19, 2006; vol. 20, 2006; vol. 21, 2006; vol. 22, 2000; vol. 23, 2002; vol. 24, 2007; vol. 25, 2003; vol. 26, 2002; vol. 27, 2007. Fulton, R.J., compiler. 1995. Surficial materials of Canada, Geological Survey of Canada, Map 1880A, scale 1:5,000,000.
- Forbes, G. 2012. Technical summary and supporting information for and emergency assessment of the little brown myotis Myotis lucifugus. Committee on the Status of Endangered Wildlife in Canada, Ottawa, Ontario [online]. Available at http://www.sararegistry.gc.ca/virtual_sara/files/cosewic/ca_petite_chauvesouris_little_brown_myotis_0212_e.pdf. [accessed 10 May, 2012].
- Ford, M.A., and Grace, J.B. 1998. The interactive effects of fire and herbivory on a coastal marsh in Louisiana. Wetlands 18: 1-8.
- Ford, W.M., Menzel, A., McGill, D.W., Laerm, J., and McCay, T.S. 1999. Effects of a community restoration fire on small mammals and herpetofauna in the southern Appalachians. Forest Ecology and Management 114: 233-243.
- Forman, R.T. 1995. Land mosaics: the ecology of landscapes and regions. Cambridge University Press, Cambridge, United Kingdom. 632 pp.
- Forman, R.T.T., and Alexander, L.E. 1998. Roads and their major ecological effects. Annual Review of Ecology and Systematics 29: 207-C202.
- Forman, R.T.T., and Deblinger, R.D. 2000. The ecological road-effect zone of a Massachusetts (U.S.A.) suburban highway. Conservation Biology 14: 36-46.
- Forsyth, R.G. 2005. Terrestrial gastropods of the Peace River northern rockies region of British Columbia. Royal British Columbia Museum, Living Landscapes. Available at http://www.livinglandscapes.bc.ca/prnr/prnr snails/PRNR-Snails.pdf.
- Fortin, G., Beauchamp, G., Dansereau, M., Lariviere, N., and Belanger, D. 2001. Spatial variation in mercury concentrations in wild mink and river otter carcasses from the James Bay Territory, Quebec, Canada. Archives of Environmental Contamination and Toxicology 40: 121-127.



- Fournier, F., Karasov, W., Meyer, M., and K. Kenow. 2002. Daily Energy Expenditures of Free-Ranging Common Loon (*Gavia immer*) Chicks. Auk 119(4): 1121-1126.
- Fox, C. 2004. FAQ-Earthworms. Southern Crop Protection and Food Research Centre, Agriculture and Agri-Food Canada. Online at: http://sci.agr.ca/london/faq/earth-terre-e.htm#no-native-Canadian earthworms. Updated December 21, 2004. Accessed September 6, 2007.
- Francis, G.R., and Stephenson, A.B. 1972. Marten ranges and food habits in Algonquin Provincial Park, Ontario. Research Report (Wildlife) No. 91, Ontario Ministry of Natural Resources, APM Reprint #1981. 53 pp.
- Fraser, D., and Thomas, E.R. 1982. Moose-vehicle accidents in Ontario: relation to highway salt. Wildlife Society Bulletin 10:261-265.
- Freda, J., and D.G. McDonald. 1993. Toxicity of Amphibian Breeding Ponds in the Sudbury Region. Canadian Journal of Fisheries and Aquatic Sciences 50:1497-1503.
- Frey, N. and Conover, M.R. 2006. Habitat use by meso-predators in a corridor environment. Journal of Wildlife Management 70: 1111-1118.
- Frick, W., Pollock, J., Hicks, A., Langwig, K., Reynolds, S., Turner, G., Butchkoski, C., and Kunz, T. 2010. An emerging disease causes regional population collapses of a common North American bat species. Science 329: 679–682.
- Frid, A. and Dill, L. 2002. Human-caused disturbance stimuli as a form of predation risk. Conservation Ecology 6: 117-123.
- Fritts, S.H., Bangs, E.E. and Gore, J.F. 1994. The relationship of the wolf recovery to habitat conservation and biodiversity in the northwestern United States. Landscape and Urban Planning 28: 23-32.
- Fudge, D., Freedman, B., Crowell, M., Nette, T., and Power, V. 2007. Road-kill of mammals in Nova Scotia. Canadian Field-Naturalist 121: 265-273.
- Fur Institute of Canada. 2003. Trappers: stewards of the land. Fur Institute of Canada, Ottawa, ON. 26 pp.
- Furlonger, C.L., Dewar, H.J., and Fenton, M.B. 1987. Habitat use by foraging insectivorous bats. Canadian Journal of Zoology 65: 284-288.
- Furness, R., Muirhead, S., and M. Woodburn. 1986. Using Bird Feathers to Measure Mercury in the Environment: Relationships between Mercury Content and Moult. Marine Pollution Bulletin 17(1): 27-30.
- Gallant, D., Vasseur, L., and Bérubé, C.H. 2007. Unveiling the limitation of scat surveys to monitor social species: a case study on river otters. Journal of Wildlife Management 71: 258-265.



- Gamberg, M. 1998. Contaminants in Yukon Moose and Caribou 1998. Yukon Contaminants

 Committee and Department of Indian and Northern Affairs, Northern Contaminants Program.

 Whitehouse, Yukon. 18 pp.
- Gamberg, M. 2008. Contaminants in Yukon moose and caribou 2006. Prepared for Yukon Contaminants Committee and Department of Indian and Northern Affarirs, Whitehorse, Yukon by Gamberg Consulting, Whitehorse, Yukon.
- Gamberg, M., Boila, G., Stern, G., and Roach, P. 2005. Cadmium, mercury, and selenium concentrations in mink (*Mustela vison*) from Yukon, Canada. Science of the Total Environment 351-352: 523-529.
- Gandhi K. J.K., D. W. Gilmore, S. A. Katovich, W. J. Mattson, J. C. Zasada, S. J. Seybold. 2008. Catastrophic windstorm and fuel-reduction treatments alter ground beetle (Coleoptera: Carabidae) assemblages in a North American sub-boreal forest. Forest Ecology and Management 256: 1104–1123.
- Garneau, D.E., Boudreau, T., Keech, M., and Post, E. 2008. Black bear movements and habitat use during a critical period for moose calves. Mammalian Biology 73: 85-92.
- Garrott, R.A., White, P.J., and White, C.A.V. 1993. Overabundance: an issue for conservation biologists? Conservation Biology 7: 946-949.
- Gartshore, M.E., M.J. Oldham, R. Van Der Mam, F.W. Scheuler, C.A. Bishop, and G.C. Barrett. 1995. Amphibian road call counts. Participants manual March 1995. Environment Canada, Ontario Region.
- Gascon, C., and D. Planas. 1986. Spring pond water chemistry and the reproduction of the wood frog. Canadian Journal of Zoology 64:543-550.
- Gates G.E. 1982. Farewell to North American megadriles. Megadrilogica, 4: 12-77.
- Gates, J.E., and Gysel, L.W. 1978. Avian nest dispersion and fledging success in field–forest ecotones. Ecology, 59: 871–883.
- Gates J.E. and N.R. Giffen. 1991. Neotropical migrant birds and edge effects at a forest-stream ecotone. Wilson Bulletin, 103(2): 204-217.
- Gates G.E. 1982. Farewell to North American megadriles. Megadrilogica, 4: 12-77.
- Gates J.E. and N.R. Giffen. 1991. Neotropical migrant birds and edge effects at a forest-stream ecotone. Wilson Bulletin, 103(2): 204-217
- Garcia, E., and R. Carignan. 2000. Mercury concentrations in northern pike (Esox lucius) from boreal lakes with logged, burned, or undisturbed catchments. Canadian Journal of Fisheries and Aquatic Science 57: 129-135.
- Gartshore, M.E., M.J. Oldham, R. Van Der Mam, F.W. Scheuler, C.A. Bishop, and G.C. Barrett. 1995. Amphibian road call counts. Participants manual March 1995. Environment Canada, Ontario Region.



- Gascon, C., and D. Planas. 1986. Spring pond water chemistry and the reproduction of the wood frog. Canadian Journal of Zoology 64:543-550.
- Geis, M. 1956. Productivity of Canada Geese in the Flathead Valley, Montana. Journal of Wildlife Management. 20(4): 409-419.
- Gerrard, P.M., and V.L. St. Louis. 2001. The effects of experimental reservoir creation on the bioaccumulation of methylmercury and reproductive success of tree swallows (Tachycineta bicolor). Environ. Sci. & Technol. 35:1329-1338.
- Getz, L.L. 1959. Notes on the ecology of slugs: *Arion circumscriptus*, *Deroceras reticulatum*, and *D. laeve*. American Midland Naturalist 61: 485-498.
- Getz, L.L. 1968. Influence of water balance and microclimate on the local distribution of the redback vole and white-footed mouse. Ecology 49: 276-286.
- Gibbs, J. P. 1998. Distribution of woodland amphibians along a forest fragmentation gradient. Landscape Ecology 13:263–268.
- Gibbs, J. P. 2000. Wetland loss and biodiversity conservation. Conservation Biology 14(1):314-317.
- Gignac, L.D., and Dale, M.R.T. 2005. Effects of Fragment Size and Habitat Heterogeneity on Cryptogam Diversity in the Low-boreal Forest of Western Canada. The Bryologist 108: 50-66.
- Gignac, L.D., and Dale, M.R.T. 2007. Effects of size, shape, and edge on vegetation in remnants of the upland boreal mixed-wood forest in agro-environments of Alberta, Canada. Can. J. Bot. 85: 273-284.
- Gill, F.B. 1990. Ornithology. W.H. Freeman and Co., New York.
- Gillett, N.P., Weaver, A.J., Zwiers, F.W., and Flannigan, M.D. 2004. Detecting the effect of climate change on Canadian forest fires. Geophysical Research Letters 31 L18211, DOI:10.1029/2004GL020876, 4 pp.
- Gillespie, W. L., and C. K. Kendeigh. 1982. Breeding bird populations in northern Manitoba. Can. Field-Nat. 96:272-81.
- Girardin, M.P., and Mudelsee, M. 2008. Past and future changes in Canadian boreal wildfire activity. Ecological Applications 18:391–406.
- Girardin, M. P., Li, A., Aillet, C., Mudelsee, M., Drobyshev, I., Hely, C. and Bergeron, Y. 2009. Heterogeneous response of circumboreal wildfire risk to climate change since the early 1900s. Global Change Biology (2009) 15, 2751–2769, doi: 10.1111/j.1365-2486.2009.01869.x.
- Glooschenko, V., and Grondin, P.. 1988. Wetlands of eastern temperate Canada. pp. 202-248 in Wetlands of Canada. Ecological Land Classification Series No. 24, Environment Canada, Ottawa, Ontario, and Polyscience Publications, Montreal, Quebec. 452 pp.
- Goddard, J. 1970. Movements of moose in a heavily hunted area of Ontario. Journal of Wildlife Management 34: 439-445.



- Godfrey, W.E. 1986. Birds of Canada. National Museum of Natural Sciences and National Museums of Canada. Ottawa, Ontario.
- Godin, A.J. 1982. Striped and hooded skunk. In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 675-687.
- Goldade, C. M., Dechant, J. A., Johnson, D. H., Zimmerman, A. L., Jamison, B. E., Church, J. O. and B. R. Euliss. 2002. Effects of management practices on wetland birds: Yellow Rail. Northern Prairie Wildlife Research Center, Jamestown, ND. Northern Prairie Wildlife Research Center Online. http://www.npwrc.usgs.gov/resource/literatr/wetbird/yera/yera.htm (Version 12DEC2003).
- Goudie, R.I. and I.C. Jones. 2004. Dose-response relationships of Harlequin duck behaviour to noise from low-level military jet overflights in central Labrador. Environmental Conservation 33(40):1-10.
- Government of British Columbia. 2002. Ministry of Water, Land and Air Protection. British Columbia Frogwatch Program Fact sheet: http://www.gov.bc.ca/wld/frogwater/whoswho/factshts.htm.
- Government of Canada. 1991. The Federal Policy on Wetland Conservation. Canadian Wildlife Service, Environment Canada. Minister of Supply and Services Canada, Ottawa, Ontario. 13 pp.
- Government of Canada 2002. Species at Risk Act. S.C. 2002, c.29. Available from http://laws-lois.justice.gc.ca/eng/acts/S-15.3/page-1.html [accessed 18 June 2012].
- Greenberg, R., and S. Droege. 1999. On the decline of the Rusty Blackbird and the use of ornithological literature to document long-term population trends. Conservation Biology. 13:553-559.
- Gregory, P.T. and K.W. Stewart. 1975. Long-distance dispersal and feeding strategy of the red-sided garter snake (*Thamnophis sirtalis parietalis*) in the Interlake of Manitoba. Can J Zool. 53:238 –245.
- Gregory P.T., 1974. Patterns of spring emergence of the red-sided garter snake (Thamnophis sirtalis parietalis) in the Interlake region of Manitoba. Can J Zool. 52:1063 –1069.
- Griesemer, S.J., Fuller, T.K., and Degraaf, R.M. 1998. Habitat use by porcupines (*Erethizon dorastum*) in central Massachusetts: effects of topography and forest composition. American Midland Naturalist 140: 271-279.
- Grinder, N., and Krausma, P.R. 2001. Home range, habitat use, and nocturnal activity of coyotes in an urban environment. Journal of Wildlife Management 65: 887-898.
- Gurd, D. B., Nudds, T.D., and Rivard, D.H. 2001. Conservation of mammals in eastern North American wildlife reserves: how small is too small? Conservation Biology 15: 1355-1363.
- Habib, L., E. M. Bayne, and S. Boutin. 2007. Chronic industrial noise affects pairing success and age structure of Ovenbirds *Seiurus aurocapilla*. Journal of Applied Ecology 44:176–184.
- Hagan, J.M., W.M. Vander Haegen, W.M. and P.S. McKinley. 1996. The early development of forest fragmentation effects on birds. Conserv. Biol. 10: 188–202.



- Hajek A.E., M.L. McManus, I. Delalibera Jr. 2006. A review of introductions of pathogens and nematodes for classical biological control of insects and mites. Biological Control, 41 (2007) 1-13.
- Halbrook, R., Brewer, R., and D. Buehler. 1999. Ecological Risk Assessment in a Large River-Reservoir: 7. Environmental Contaminant Accumulation and Effects in Great Blue Heron. Environmental Toxicology and Chemistry 18(4): 641-648.
- Hall, B.D., Bodaly, R.A., Fudge, R.J.P., Rudd, J.W.M., and Rosenberg, D.M. 1997. Food as the dominant pathway of methyl mercury uptake by fish. Water, Air, and Soil Pollution 100: 13-24.
- Halsey, L.A., D.H. Vitt and S.C. Zoltai. 1995. Disequilibrium response of permafrost in boreal continental western Canada to climate-change. Climatic Change 30:57-73.
- Hamas, M. J. 1994. Belted Kingfisher (Ceryle alcyon). In The Birds of North America, No. 84 (A. Poole, and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Hanson, A., Swanson, L., Ewing, D., Grabas, G. Meyer, S., Ross, L., Watmough, M., and Kirby, J. 2008.Wetland Ecological Functions Assessment- An Overview of Approaches. Technical Report Series Number 497, Environment Canada, Atlantic Region.
- Harper, F. 1963. Amphibians and reptiles of Keewatin and northern Manitoba. Proceedings of the Biological Society of Washington 76:159–168.
- Harper, K.A. and Macdonald, S.E. 2001. Structure and composition of riparian boreal forest: New methods for analyzing edge influence. Ecology, 82(3): 649-659.
- Harper, K.A. and Macdonald, E.S. 2002. Structure and composition of edges next to regenerating clearcuts in mixed-wood boreal forest. Journal of Vegetation Science 13: 535-546.
- Harrington, B. A. 2001. Red Knot (Calidris canutus). 32 pp. Birds of North America, Inc. Philadelphia, PA.
- Harris, R.J. and J.M. Reed. 2002. Effects of forest-clearcut edges on a forest breeding songbird. Can. J. Zool. 80:1026-1037.
- Hash, H.S. 1998. Wolverine. In Wild Furbearer Management and Conservation in North America. Edited by J. Bedford and G. Thompson. Ontario Fur Managers Federation, Peterborough, ON. pp. 574-585.
- Hayward, G.D. and P.H. Hayward. 1993. Boreal Owl. In The Birds of North America, No. 63 (A. Poole and F. Gill, Eds.). Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Health Canada 2007. Food and Nutrition: Mercury. Available from www.hc-sc.gc.ca/fn-an/securit/chem-chim/environ/mercur/index-eng.php [accessed 20 June 2012].
- Hebert, P. 1989. Decline of the Kent Island, NB, Herring Gull colony. Can. Field-Natur. 103:394–396.
- Hegmann, G., Cocklin, C., Creasey, R., Dupuis, S., Kennedy, A., Kingsley, L., Ross, W., Spaling, H., and Stalker, D. 1999. Cumulative effects assessment practitioners guide. Prepared by AXYS



- Environmental Consulting Ltd. and the CEA Working Group for the Canadian Environmental Assessment Agency, Hull, Quebec
- Heinselman, M.L. 1981. Fire intensity and frequency as factors in the distribution and structure of northern ecosystems. USDA Forest Service, General Tech. Rep. WO-26.
- Heinz, G. 1976a. Methylmercury: Second-Year Feeding Effects on Mallard Reproduction and Duckling Behavior. Journal of Wildlife Management 40(4): 82-90.
- Heinz, G. 1976b. Methylmercury: Second-Generation Reproductive and Behavioral Effects on Mallard Ducks. Journal of Wildlife Management 40(4): 710-715.
- Heinz, G. 1979. Methylmercury: Reproductive and Behavioral Effects on Three Generations of Mallard Ducks. Journal of Wildlife Management 43(2): 394-401.
- Heinz, G. and Hoffman, D. 2003. Embroytoxic thresholds of mercury: Estimates from individual mallard eggs. Arch Environ Contam Toxicol 44:257-264.
- Heinz, G. and Hoffman, D. 2004. Mercury Accumulation and Loss in Mallard Eggs. Environmental Toxicology and Chemistry 23(1): 222-224.
- Hellsten, S. 2000. Environmental factors and aquatic macrophytes in the littoral zone of regulated lakes: Causes, consequences and possibilities to alleviate harmful effects. Ph. D. thesis, University of Oulu, Finland.
- Herkert, J. R., S. A. Simpson, R. L. Westemeier, T. L. Esker, and J. W. Walk. 1999. Response of Northern Harriers and Short-eared Owls to grassland management in Illinois. Journal of Wildlife Management 63:517-523.
- Hendzel, M.R., and Jamieson, D.M., 1976. Determination of mercury in fish. Analytical Chemistry 48: 926-928.
- Herrero, S.M. 1985. Bear attacks: their causes and avoidance. Lyons & Burford, New York. 287 pp.
- Hildegunn, V., N. C. Stenseth, G. W. Smith, and G. H. Steinbakk. 2005. Density dependence in North American ducks Ecology 86:245–254.
- Hik, D.S. 1995. Does risk of predation influence population dynamics? Evidence from the cyclic decline of snowshoe hares. Wildlife Research 22: 115-129.
- Hinterland who's who (HWW). 2008. Canada's Boreal Forests. Online at http://www.hww.ca/hww2.asp?id=354. Accessed on March 31, 2008.
- Hirai, T. 1998. An evaluation of woodland caribou calving habitat in the Wabowden area, Manitoba. M.Sc. Thesis, University of Manitoba, Winnipeg, Manitoba. 119 pp.
- Hockin, D., M. Ounsted, M. Gormant, D. Hillt, V. Kellert and M. A. Barker. 1992. Examination of the Effects of Disturbance on Birds with Reference to its Importance in Ecological Assessments. Journal of Environmental Management 36, 253-286.
- Hodgman, T.P., Harrison, D.J., Katnik, D.D., and Eloew, K.D. 1994. Survival in an intensively trapped marten population in Maine. The Journal of Wildlife Management 58: 593-600.



- Hogg, E.H. and P.A. Hurdle. 1995. The aspen parkland in western Canada: a dry-climate analogue for the future boreal forest. Water, Air, Soil Pollut. 82: 391-400.
- Hogg, E.H., J.P. Brandt and B. Kochtubajda. 2002. Growth and dieback of aspen forest in northwestern Alberta, Canada, in relation to climate and insects. Canadian Journal of Forest Research. 32: 823-832.
- Holt, D.W., and S.M. Leasure. 1993. Short-eared Owl (Asio flammeus). In The Birds of North America,
 No. 62 (A. Poole and F. Gill, Eds.). Philadelphia: The Academy of Natural Sciences;
 Washington, D.C.: The American Ornithologists' Union.
- Hood, G.A. and Bayley, S.E. 2008. Beaver (*Castor canadensis*) mitigate the effects of climate on the area of open water in boreal wetlands in western Canada. Biological Conservation 141: 556-567.
- Hood, G.A., Bayley, S.E., and Olson, W. 2007. Effects of prescribed fire on habitat of beaver (*Castor canadensis*) in Elk Island National Park, Canada. Forest Ecology and Management 239: 200–209.
- Hoover, A., Watson, J., Beck, B., Beck, J., Todd, M., and Bonar, R. 1999. Snowshoe hare winter range habitat suitability index model version 4. Foothills Model Forest, Hinton, Alberta. 9 pp.
- Hornocker, M.G. and Hash, H.S. 1981. Ecology of the wolverine in northwestern Montana. Canadian Journal of Zoology 59: 1286-1301.
- Houston, C.S., D.G. Smith, and C. Rohner. 1998. Great Horned Owl (*Bubo virg*In*ianus*). In The Birds of North America, No. 372 (A. Pool and F. Gill, Eds.). The Birds of North America, Inc., Philadelphia, PA
- Houts, M.E. 2001. Modeling gray wolf habitat in the northern Rocky Mountains. M.A. thesis, Department of Geography, The University of Kansas, Lawrence, KS. 87 pp.
- Howe, G.J. and G.M. Findlay. 1972. Distribution of terrestrial slugs in Manitoba. The Manitoba Entomologist Vol. 6:46-48.
- Hruby, T. 2004. Washington State wetland rating system for western Washington-Revised. Publication # 04-06-025. Washington State Department of Ecology, Olympia WA.
- Huang, D., Haack, R.A., and Zhang, R. 2011. Does global warming increase establishment rates of invasive alien species? A centurial time series analysis. PLoS ONE 6:e24733. Doi:10.1371/journal.pone.0024733
- Huijser, M.P., Kociolek, A., McGowen, P., Hardy, A., Clevenger, A.P., and Ament, R. 2007. Wildlifevehicle collision and crossing mitigation measures: a toolbox for the Montana Department of Transportation. Final Report FHWA/MT-07-002/8117-34. The State of Montana Department of Transportation.
- Humphrey, S.R. 1982. Bats (Vespertilionidae and Molossidae). In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 52-70.



- Hundertmark. 2007. Home Range, Dispersal and Migration. In Ecology and management of the North American moose. Edited *by* A.W. Franzmann, and C.C. Schwartz. Wildlife Management Institute, Boulder, Colorado. pp. 173-221.
- Hunt, P. D. and David J. Flaspohler. 1998. Yellow-rumped Warbler (Setophaga coronata), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/376
- Hunter, M. L. 1993. Natural fire regimes as spatial models for managing boreal forests. Bio. Conserv. 65:115-120.
- Hutto, R.L. and J.S. Young. 1999. Habitat relationships of landbirds in the Northern Region. USDA Forest Service, General Technical Report RMRS-GTR-32.
- Hyde, D.A. 1997. Special animal abstract for *Sterna hirundo* (common tern). Michigan Natural Features Inventory. Lansing, MI. 3 pp.
- Hydro-Québec. 2004. Eastmain-1-A Powerhouse and Rupert Division Environmental Impact Statement Volume 2 Chapter 10. Hydro-Quebec Production.
- Hydro-Quebec. 2007. Construction of 4 Hydro-electric Dams, Romaine River Environmental Impact Statement. Accessed at: www.ceaa.gc.ca/050/document-eng.cfm?document=25316.
- Hylander, K., C. Nilsson, B. G. Jonsson and T. Göthner. 2005. Differences in habitat quality explain nestedness in a land snail meta-community. Oikos, 108: 351-361
- IBA Canada. 2012. Important Bird Areas Canada. Accessed at: http://www.ibacanada.ca/
- Ibarzbal, J. and A. Desrochers. 2000. Lack of relationship between forest edge proximity and nest predator activity in an eastern Canadian boreal forest. Can. J. For. Res. 31:117-122.
- I.D. Systems. 1993. Draft Environmental Impact Statement, 1993, for the Conawapa Generating Station Project. Prepared for Manitoba Hydro, Winnipeg, MB. January 1993. Sec. 4.5.
- Ilback, N.G., Sundberg, J., and Oskarsson, A. 1991. Methyl mercury exposure via placenta and milk impairs natural killer (NK) cell function in newborn rats. Toxicology Letters 58: 149-158.
- Intergovernmental Panel on Climate Change (IPCC), 1997. R.T.Watson, M.C.Zinyowera, R.H.Moss, and D. J. Dokken (Eds), Cambridge University Press, UK. pp 517. Available online at http://www.ipcc.ch/pdf/special-reports/spm/region-en.pdf. Accessed on 25 April 2008.
- Intergovernmental Panel on Climate Change (IPCC). 2002. Climate change and biodiversity. Technical paper V. Available online at http://www.ipcc.ch/pub/tpdiodiv.pdf (accessed August 2004).
- Intergovernmental Panel on Climate Change (IPCC). 2007. Fourth Assessment Report. Climate Change 2007: Synthesis Report. Summary for Policy Makers.
- Intergovernmental Panel on Climate Change (IPCC). 2008. Report series accessed at: http://www.ipcc.ch/pub/tpdiodiv.pdf.
- ISCM (Invasive Species Council of Manitoba). 2012. Invasive plants & animals in Manitoba. [Online] http://www.invasivespeciesmanitoba.com/site/index.php. [accessed May 11, 2012].



- Irwin, L.J. 1975. Deer-moose relationships on a burn in northeastern Minnesota. The Journal of Wildlife Management 39: 653-662.
- Jackson, H.H.T. 1928. A taxonomic review of the American long-tailed shrews. North American Fauna No. 51. United States Department of Agriculture, Washington, D.C. 238 pp.
- Jacqmain, H., and Bélanger, L. 2002. Ndoho Istchee Project, understanding, documenting, and structuring the notion of ecozone as defined by the Crees of Waswanipi. Laval University and Waswanipi Cree Model Forest. Québec, PQ.
- Jalkotzy, M.G., Ross, P.I., and Nasserden, E.M. D. 1997. The effects of linear developments on wildlife: a review of selected scientific literature. Prepared for Canadian Association of Petroleum Producers. Calgary, AB. 115 pp. Available at: http://www.kora.ch/malme/05 library/5 1 publications/I and J/Jalkotzy et al 1997. The effect of linear development on wildlife review.pdf [accessed 18 August 2011].
- James, A.R.C., and Stuart-Smith, A.K. 2000. Distribution of caribou and wolves in relation to linear corridors. Journal of Wildlife Management 64: 154-159.
- Jehl, J.R. Jr. 2004. Birdlife of the Churchill Region: status, history, biology. Trafford Publishing, Victoria, British Columbia.
- Jenkins, S.H., and Busher, P.E. 1979. *Castor canadensis*. Mammalian Species. American Society of Mammalogists 120: 1-8.
- Jens, P., Landa, A., Andersen, R., and Segerstro, P. 2006. Reproductive characteristics of female wolverines (*Gulo gulo*) in Scandinavia. Journal of Mammology 87: 75-79.
- Johnson, C.J., Boyce, M.S., Case, R.L., Cluff, H.D., Gau, R.J., Gunn, A., and Mulders, R. 2005. Cumulative effects on human developments on arctic wildlife. Wildlife Monographs 160: 1-36.
- Johnson, C.J., Parker, K.L., and Heard, D.C. 2001. Foraging across a variable landscape: behavioral decisions made by woodland caribou at multiple spatial scales. Oecologia 127: 590-602.
- Johnson, D., Kershaw, L., MacKinnon, A., and Pojar, J. 1995. Plants of the Western Boreal Forest and Aspen Parkland. Lone Pine Publishing. Edmonton, Alberta. 392pp.
- Johnson, E. A. 1992. Fire and vegetation dynamics: studies from the North American boreal forest. Cambridge University Press.
- Johnson, E. A., and Gutsell, S. L. 1994. Fire frequency models, methods and interpretations. In Begon, E. and Fitter, A. H. (ed.). Advances in Ecological Research: Volume 25. Academic Press. San Diego, California.
- Johnson, E.A., Miyanishi, K., and Bridge, S.R.J. 2001. Wildfire regime in the boreal forest and the idea of suppression and fuel buildup. Conservation Biology 15: 1554-1557.
- Johnson, E. A., K. Miyanishi and J. M. Weir. 1995. Old-growth, disturbance, and ecosystem management. Can. J. Bot. 73:918-926.



- Johnson, M.L., and Johnson, S. 1982. Voles (*Microtus* species). In Wild mammals of North America: biology, management, and economics. Edited *by* J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 326-354.
- Joly, K., Dale, B.W., Collins, W.B., and Adams, L.G. 2003. Winter habitat use by female caribou in relation to wildland fires in interior Alaska. Canadian Journal of Zoology 81: 1192-1201.
- Jones, J., P.J. Doran, and R.T. Holmes. 2003. Climate and food synchronize regional forest bird abundances. Ecology 84:3024-3032.
- Joyce, T.L., and Mahoney, S.P. 2001. Spatial and temporal distributions of moose-vehicle collisions in Newfoundland. Alces 29: 281-291.
- Jung, T.S. and Slough, B.S. 2005. Mortality of little brown bats, Myotis lucifugus, in a rodent trap in the boreal forest. Canadian Field-Naturalist 119: 589-590.
- Karlin, E.J. 1956. Notes on the ecology of *Zonitoides arboreus* (Say), *Opeas pumilum* (Pfeiffer), and *Lamellaxis gracilis* (Hutton) in greenhouses. American Midland Naturalist 55: 121-125.
- Karr, J. R. undated. Beyond Definitions: Measuring What Matters and Counting What Counts to Sustain Biological Integrity, Diversity, and Health. 33 pp.
- Kartesz, J.T. 1994. A synonymized checklist of the vascular flora of the United States, Canada, and Greenland, Vol. 2. Thesaurus. Biota of North American Program of the North Carolina Botanical Garden. Timber Press. Portland, Oregon. 816pp.
- Kaufmann, J.H. 1982. Raccoon and allies. In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 567-585.
- KAVIK-AXYS. 2002. Cumulative effects assessments in the Inuvialuit Settlement Region: A guide for proponents. Accessed at: http://www.kavik-axys.com/projects/publications/n02_KA19CapabilityFINAL.pdf
- Keddy, P. 2010. Wetland ecology principles and conservation. Second Edition. Cambridge University Press, Cambridge, United Kingdom. 497 pp.
- Keddy, P., and Fraser, L. H. 2000. Four general principles for the management and conservation of wetlands in large lakes: the role of water levels, nutrients, competitive hierarchies and centrifugal organization. Lakes & Reservoirs: Research & Management 5(3): 177–185.
- Keeyask Limited Partnership. 2009. Keeyask Infrastructure Project Environmental Assessment Report.
- Keinath, D.A. and Hayward, G.D. 2003. Red-backed vole (*Clethrionomys gapperi*) response to disturbance in subalpine forests: use of regenerating patches. Journal of Mammalogy 84: 956-966.
- Kelly, C.A., Rudd, J.W.M., Bodaly, R.A., Roulet, N.P., St. Louis, V.L., Haynes, A., Moore, T.R., Schiff, S., Aravena, R., Scott, K.J., Dyck, B., Harris, R., Warner, B., and Edwards, G. 1997. Increases in fluxes of greenhouse gases and methyl mercury following flooding of an experimental reservoir. Environmental Science and Technology 31: 1334-1344.



- Kelsall, J.P. 1968. The migratory barren-ground caribou of Canada. Queen's Printer and Controller of Stationery, Ottawa, Ontario. 340 pp.
- Khan B. and M. H. Colbo. 2008. The impact of physical disturbance on stream communities: lessons from road culverts. Hydrobiologia 600: 229–235.
- Kiesecker, J. M., A. R. Blaustein and L. K. Belden. 2001. Complex causes of amphibian population declines. Nature, 410: 681-684.
- Kim, E.Y., T. Murakami, K. Saeki and R. Tatsukawa. 1996. Mercury levels and its chemical form in tissues and organs of seabirds. Arch. Environmental Contamination and Toxicology. 30: 259-266.
- King, A. W. 1993. Considerations of scale and hierarchy. In Ecological integrity and the management of ecosystems. Edited by S. Woodley, J. Kay and G. Francis. St. Lucie Press, pp. 19-45.
- Kinley, T.A., and Apps, C.D. 2001. Mortality patterns in a subpopulation of endangered mountain caribou. Wildlife Society Bulletin 29: 158-164.
- Kipekiskwaywinan Our Voices: York Factory First Nation Speaks About the Keeyask Generation Project. 2012. Prepared by York Factory First Nation. With support from: Hilderman Thomas Frank Cram and Northern Lights Heritage Services.
- Kirk, D.A. and K.A. Hobson. 2001. Bird-habitat relationships in jack pine boreal forests. Forest Ecology and Management 147:217–243.
- Kirkland, G.L. Jr. and Schmidt, D.F. 1982. Abundance, habitat, reproduction, and morphology of forest-dwelling small mammals of Nova Scotia and southeastern New Brunswick. Canadian Field-Naturalist 96: 156-162. In Beneski, J.T., and Stinson, D.W. 1987. Sorex palustris. Mammalian Species 296: 1-6.
- Klassen, P., A.R. Westwood, W.B. Preston and W.B. McKillop. 1989. The butterflies of Manitoba. Mantioba Museum of Man and Nature, Winnipeg, Manitoba. Pp 290.
- Klein, D.R. 1982. Fire, lichens, and caribou. Journal of Range Management 35: 390-395.
- Klimaszewski, J., D.W. Langor, T.T. Work, G. Pelletier, H.E. J. Hammond, and C. Germain. 2005. The effects of patch harvesting and site preparation on ground beetles (Coleoptera, Carabidae) in yellow birch dominated forests of southeastern Quebec. Canadian Journal of Forest Research 35: 2616–2628.
- Kochert, M. 1986. Raptors. In Cooperrider, A., T., Boyd, R. J., Hanson, S. R (*eds*). Inventory and monitoring of wildlife habitat. Denver, CO; U.S. Department of the Interior, Bureau of Land Management, Denver Service Center: 313-349.
- Koehler, G.M., and Brittell, J.D. 1990. Managing spruce-fir habitat for lynx and snowshoe hares. Journal of Forestry 88: 10-14.
- Kolenosky, G.B., and Strathearn, S.M. 1998. Black bear. In Wild furbearer management and conservation in North America. Edited by M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch. Ontario Ministry of Natural Resources, Peterborough, Ontario. pp. 626-641.



- Konrad Martin and Michael Sommer. 2004. Relationships between land snail assemblage patterns and soil properties in temperate-humid forest ecosystems. Journal of Biogeography, 31, 531–545.
- Koonz, W.H. 1988. The Bald Eagle in Manitoba. Manitoba Natural Resources, Wildlife Biological Services. Technical Report No. 88-1.
- Koonz, W. 1992. Amphibians in Manitoba. In: Declines in Canadian amphibian populations: designing a national monitoring strategy. Bishop. C. and K. Pettit (eds.), Canadian Wildlife Service, Burlington, Ontario. Occasional Paper Number 76.
- Koonz, W.H. 2000. Some bird observations in Manitoba in 1999. Blue Jay 58:65-68.
- Korpimäki, E. and Krebs, C.J. 1996. Predation and population cycles of small mammals. Bioscience 46: 754-764.
- Korschgen, C. E. and R. B. Dahlgren. 1992. Human Disturbances of Waterfowl: Causes, Effects, and Management. Fish and Wildlife Leaflet 13.2.15 United States Department of the Interior Fish and Wildlife Service Fish and Wildlife Leaflet 13 Washington, D.C.
- Koster, M., Ryckman, D., Weseloh, D., and J. Struger. 1996. Mercury Levels in Great Lakes Herring Gull (*Larus argentatus*) Eggs, 1972-1992. Environmental Pollution 93 (3): 261-270.
- Kralka, R.A. 1986. Population characteristics of terrestrial gastropods in boreal forest habitats. American Midland Naturalist, 115 (1): 156-164.
- Krebs, C., Boutin, S., and R. Boonstra. 2001. Ecosystem Dynamics of the Boreal Forest: The Kluane Project. Oxford University Press, New York. 511 pp.
- Krebs, C.J., Boonstra, R., Boutin, S., and Sinclair, A.R.E. 2001. What drives the 10-year cycle of snowshoe hare? BioScience 51: 25-35.
- Krebs, C.J., Gilbert, B.S., Boutin, S., Sinclair, A.R.E., and Smith, J.M.N. 1986. Population biology of snowshoe hares I. Demography of food-supplemented populations in the southern Yukon. Journal of Animal Ecology 55: 963-982.
- Krebs, J., Lofroth, E., and Parfit, I. 2007. Multiscale habitat usage by wolverines in British Columbia, Canada. Journal of Wildlife Management. 71: 2180-2192.
- Krebs, J.A. and Lewis, D. 1999. Wolverine ecology and habitat use in the North Columbia Mountains: progress report. Proceedings of biology and management of species at risk. Kamloops, Nelson, British Columbia, Canada. pp. 695-704.
- Krefting, L.W. 1974. Moose distribution and habitat selection in north central North America. Naturaliste Canada 101: 81-100.
- Krefting, L.W., and Ahlgren, C.E. 1974. Small mammals and vegetation changes after fire in a mixed conifer-hardwood forest. Ecology 55: 1391-1398.
- Kucera, E. 1982. Mink and otter as indicators of mercury in Manitoba watersheds. Manitoba Department of Consumer and Corporate Affairs and Environment, Environmental Management Division.



- Kucera, E. 1983. Mink and otter as indicators of mercury in Manitoba waters. Canadian Journal of Zoology 61: 2250-2256.
- Kunkel, K., and Pletscher, D.H. 2001. Winter hunting patterns of wolves in and near Glacier National Park, Montana. Journal of Wildlife Management 65: 520-530.
- Kurki, S., Nikula, A., Helle, P., and Linden, H. 1998. Abundances of red fox and pine marten in relation to the composition of boreal forest landscapes. Journal of Animal Ecology 67: 874-866.
- Kusler, J. 2006. Recommendations for Reconciling Wetland Assessment Techniques. Association of State Wetland Managers, Berne, NY, USA.
- Lahring, H. 2003. Water and wetland plants of the prairie provinces. Canadian Plains Research Center, University of Regina. Regina, Saskatchewan. 326pp.
- Lane, O., Evers, D., Albano, D., Haines, T., and R. Taylor. 2004. Belted Kingfishers (*Ceryle alcyon*) as indicators of methylmercury availability in aquatic systems. Accessed at: www.briloon.org/pub/doc/2004-13Beki.pdf.
- Langis, R., C. Langlois and F. Morneau. 1999. Mercury in Birds and Mammals In: Lucotte, M., R. Schetagne, N. Therien, C. Langlois and A. Tremlay (Eds.). Mercury in the Biochemical Cycle. Springer, New York. 334 pp.
- Langor D. W. and J. R. Spence. 2006. Arthropods as ecological indicators of sustainability in Canadian forests. The Forestry Chronicle, 82(3): 344-350.
- Laurence, W.F. 1991. Predicting the impacts of edge effects in fragmented habitats. Biological Conservation, vol. 55, pp. 77-92.
- LaResche, R.E., and Davis, J.L. 1973. Importance of non-browse food to moose on the Kenai Peninsula, Alaska. Journal of Wildlife Management 37: 279-289.
- LaResche, R.E., Bishop, R.H., and Coady, W.J. 1974. Distribution and habitats of moose in Alaska. Naturaliste Canada 101: 143-178.
- Larivière, S. 2004. Range expansion of racoons in the Canadian prairies: review of hypotheses. Wildlife Society Bulletin 32: 955-963.
- Larivière, S. and Messier, F. 1998. Spatial organization of a prairie striped skunk population during the waterfowl nesting season. Journal of Wildlife Management 62(1): 199-204.
- Lariviere, S., and Messier, F. 2000. Habitat selection and use of edges by striped skunks in the Canadian prairies. Canadian Journal of Zoology 78: 366-372.
- Larsen, T.L., and Ripple, W.J. 2004. Modeling gray wolf (*Canis lupus*) habitat in the Pacific Northwest, U.S.A. Journal of Conservation Planning 2: 30-61.
- Latty, E.F., S.M. Werner, D.J. Mladenoff, C.F. Raffa, and T.A. Sickley. 2006. Response of ground beetle assemblages to logging history in northern hardwood-hemlock forests. Forest Ecology and Management 222 (2006) 335–347.



- Laurian, C., Dussault, C., Ouellet, J.-P., Courtois, R., Poulin, M., and Breton, L. 2008. Behavior of moose relative to a road network. Journal of Wildlife Management 72: 1550-1557.
- Lee, G. 1991. Purple loosestrife (Lythrum salicaria) infestations in Canada: a national status report. Canadian Wildlife Service, Environment Canada. Ottawa, Ontario. Unpublished report.
- Leech, D. 2007. British Trust for Ornithology (BTO). The effect of climate change on birds. Accessed at: www.bto.org/research/advice/ecc/eccsection42.htm.
- Leitão, A.B., Miller, J., Ahern, J., and McGarigal, K. 2006. Measuring Landscapes: A Planner's Handbook. Island Press. 245 pp.
- Leroux, S. J., Schmiegelow, F.K., Lessard, R.B., and Cumming, S.G. 2007. Minimum dynamic reserves: A framework for determining reserve size in ecosystems structured by large disturbances. Biological Conservation 138: 464-473.
- Leschack, C. R., S. K. McKnight, and G. R. Hepp. 1997. Gadwall (*Anas strepera*). No. 283, In A. Poole, and F. Gill, eds. The birds of North America. Academy of Natural Sciences, Philadelphia, Pennsylvania, and American Ornithologists' Union, Washington, D.C.
- Lesica, P., Allendorf, F.W., 1995. When are peripheral populations valuable for conservation? Conserv. Biol. 9, 753–760.
- Lesieur, D., Gauthier, S. and Bergeron, Y. 2002. Fire frequency and vegetation dynamics for the south-central boreal forest of Quebec, Canada. Can. J. For. Res. 32: 1996–2009.
- Lewis, S. and R. Furness. 1991. Mercury Accumulation and Excretion in Laboratory Reared Black-Headed Gull Larus ridibundus Chicks. Arch Environ Contam Toxicol. 21:316-320.
- Lindenmayer, D., and Fischer, F. 2006. Habitat Fragmentation and Landscape Change: An Ecological and Conservation Synthesis. Island Press, Washington, D.C. 352 pp.
- Lindsay, S.F., and Bookhout, T.A. 1978. Lead and mercury levels in vegetation from strip-mined areas in Eastern Ohio. Bulletin of Environmental Contamination & Toxicology 19: 360-364.
- Lindscombe, G., Kinler, N., and Aulerich, R.J. 1982. Mink (*Mustela vison*). In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 629-643.
- Linnell, J.D.C., Aanes, R., Swenson, J.E., Odden, J., and Smith, M.E. 1997. Translocation of carnivores as a method for managing problem animals: a review. Biodiversity and Conservation 6: 1245–1257.
- Linnell, J.D.C., Swenson, J.E., Andersen, R., and Barnes, B. 2000. How vulnerable are denning bears to disturbance? Wildlife Society Bulletin 28: 400-413.
- Litvaitis, J.A., Sherburne J.A., and Bissonette, J.A. 1985. Influence of understory characteristics on snowshoe habitat and density. Journal of Wildlife Management 49: 866-873.
- Looman, J. and K.F. Best. 1987. Budd's flora of the Canadian prairie provinces. Research Branch, Agriculture Canada, Publication 1662. Ottawa, Ontario. 862pp.



- Louisiana-Pacific Canada Ltd. 1995. EIS Forest Management License #3 10-Year Forest Managemente Plan (1996-2005). September 1995.
- Lucotte, M., R. Schelagne, N. Therien, C. Langlois and A. Tremblay (eds). 1999. Mercury in the Biogeochemical Cycle natural environments and hydroelectric reservoirs of northern Quebec. Berlin: Springer-Verlag.
- Lundmark, C. 2008. Morphological and behavioural adaptations of moose to climate, snow, and forage. Ph.D. Thesis, Faculty of Forest Services, Department of Wildlife, Fish, and Environmental Studies, Swedish University of Agricultural Sciences, Umeå, Sweden. 56 pp.
- Lynch, G.M. 1971. Raccoons increasing in Manitoba. Journal of Mammalogy 52(3): 621-623.
- Lynch-Stewart, P. 2004. Environmental Assessment Best Practice Guide for Wildlife at Risk In Canada. First edition. February 27, 2004. Canadian Wildlife Service, Environment Canada. Gatineau, Quebec.
- Lynch-Stewart & Associates. 2000. Using Ecological Standards, Guidelines and Objectives for Determining Significance- An Examination of Existing Information to Support Significance Decisions Involving Wetlands. http://www.ceaa.gc.ca/default.asp?lang=En&n=46DA6C97-1&toc=show. Accessed March 17, 2008.
- Mabille, G., Descamps, S., and Berteaux, D. 2010. Predation as a probable mechanism relating winter weather to population dynamics in a North American porcupine population. Population Ecology 52: 537-546.
- J. S., T. L., L. J., H.MacArthur, R.A., and Aleksiuk, M. 1979. Seasonal microenvironments of the muskrat (*Ondatra zibethicus*) in northern marsh. Journal of Mammalogy 60: 146-154.
- MacCraken, J.G., and Viereck, L.A. 1990. Browse regrowth and use by moose after fire in interior Alaska. Northwest Science 64: 11-18.
- MacHutchon, A.G. 1989. Spring and summer food habits of black bears in the Pelly River Valley, Yukon. Northwest Science 63: 116-118.
- Mackenzie Gas Project. 2004. Environmental Impact Statement For The Mackenzie Gas Project, Volume 5: Biophysical Impact Assessment- Section 9: Vegetation.
- Maier, J.A.K., Ver Hoef, J.M., McGuire, A.D., Bowyer, R.T., Saperstein, L., and H.A. Maier. 2005. Distribution and density of moose in relation to landscape characteristics: effects of scale. Canadian Journal of Forest Research 35:2233-2243.
- Mahoney, S.P., and Schaefer, J.A. 2002. Hydroelectric development and the distribution of migration in caribou. Biological Conservation 107:147-153.
- Malakhov, V.V. 1994. Nematodes: structure, development, classification, and phylogeny. Ed. W.D. Hope. Smithsonian Institute Press, Washington, D.C.
- Manitoba Avian Research Committee. 2003. The Birds of Manitoba. Winnipeg, MB. 600pp.



- Manitoba Conservation. 1991. State of the Environment Report 1991 [online]. Available from http://www.gov.mb.ca/conservation/annual-reports/soe-reports/soe91/wild.html [accessed 8 December 2010].
- Manitoba Conservation. 2007. Species at Risk. Online at: http://www.gov.mb.ca/conservation/wildlife/managing/species at risk.html. Accessed on April 7, 2008.
- Manitoba Conservation. 2008. Manitoba Laws, the Endangered Species Act. Downloaded from: http://web2.gov.mb.ca/laws/statutes/ccsm/e111e.php.
- Manitoba Conservation. 2010. Manitoba Fires: 1929 2010. https://mli2.gov.mb.ca/forestry/index.html
- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. 2005a. Manitoba's Conservation and Recovery Strategy for Boreal Woodland Caribou (Rangifer tarandus caribou). Manitoba Conservation, Wildlife and Ecosystem Protection Branch, Winnipeg, Manitoba. 20 pp.
- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. 2005b. Wildlife and vehicles, high risk areas for deer/wildlife-vehicle collisions in rural Manitoba calendar year 2005 [online]. Available from http://www.gov.mb.ca/conservation/wildlife/problem_wildlife/wildlife_vehicle_rural.html [accessed 18 June 2010].
- Manitoba Conservation Data Centre (MBCDC). 2007. Species and Plant Community Database. Retrieved March 2007 from http://web2.gove.mb.ca/conservation/cdc/species/index.php.
- Manitoba Conservation Data Centre. n.d.b. Occurrence of species by ecoregion [online]. Available from http://web2.gov.mb.ca/conservation/cdc/ecoregions.html [accessed 30 November 2009].
- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. 2009a. Problem beaver management program 2009/10 directives from Manitoba Conservation [online]. Available from http://www.manitoba.ca/conservation/wildlife/problem_wildlife/pdf/beaver_subsidy.pdf [accessed 30 November 2009].
- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. 2009b. Draft policy directive: furbearer management [online]. Available from http://www.gov.mb.ca/conservation/wildlife/trapping/pdf/draft_fur_policy_procedure.pdf [accessed 20 January 2012].
- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. 2011a. 2011–2012 Trapping Guide [online]. Available from http://www.gov.mb.ca/conservation/wildlife/trapping/pdf/trapping_guide_2011_12_final.pdf [accessed 20 January 2012].
- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. 2011b. 2011–2012 Manitoba Hunting Guide [online]. Available from http://www.gov.mb.ca/conservation/wildlife/hunting/[accessed 9 December 2011].



- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. Problem wildlife, beaver [online]. Available from http://www.gov.mb.ca/conservation/wildlife/problem-wildlife/furbearing.html [accessed 30 November 2009].
- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. n.d.n.d.a. Gray (timber) wolf fact sheet [online]. Available from http://www.gov.mb.ca/conservation/wildlife/mbsp/fs/grwolf.html [accessed 27 May 2010].
- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. n.d.b. Black bear fact sheet [online]. Available from http://www.gov.mb.ca/conservation/wildlife/mbsp/fs/blbear.html [accessed 30 November 2009].
- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. n.d.ɛ. Problem wildlife, coyote [online]. Available from http://www.manitoba.ca/conservation/wildlife/problem_wildlife/coyote.html [accessed 30 November 2009].
- Manitoba Conservation, Wildlife and Ecosystem Protection Branch. n.d.d.e. Moose fact sheet. [online]. Available from http://www.gov.mb.ca/conservation/wildlife/mbsp/fs/moose.html [accessed 27 November 2009].Manitoba Conservation, Wildlife and Ecosystem Protection Branch, n.d.f. White-tailed deer fact sheet. [online]. Available from http://www.gov.mb.ca/conservation/wildlife/mbsp/fs/wtdeer.html [accessed 7 December 2010].
- Manitoba Endangered Species Act (MESA). 1993. Manitoba Conservation. Updated February 2010. Available from http://web2.gov.mb.ca/laws/statutes/ccsm/e111e.php [accessed 25 February 2010].
- Manitoba Endangered Species Act (MESA). 2007. Manitoba Conservation. Updated June 2007. http://web2.gov.mb.ca/laws/statutes/ccsm/elle.php.
- Manitoba Hydro. 1997. Lower Churchill River Water Level Enhancement Weir Project Environmental Impact Statement.
- Manitoba Hydro. 2003a. Wuskwatim Generating Station Environmental Impact Statement.
- Manitoba Hydro. 2003b. Wuskwatim Transmission Project Environmental Impact Statement.
- Manitoba Hydro. 2006. Environmental protection guidelines, construction, operation and decommissioning Manitoba Hydro work sites and facilities. Available from http://www.hydro.mb.ca/tenders/Environmental_Protection_Guidelines.pdf [accessed June 9, 2010].
- Manitoba Hydro 2009b. Keeyask Infrastructure Project. Environmental Assessment Report. Keeyask Hydropower Limited Partnership.
- Manitoba Hydro. 2009c. Keeyask Generation Project: Physical Environment- Historical Climate Analysis. Manitoba Hydro File: GN 9.5.1. 29 pp.



- Manitoba Hydro. 2009a. JKDA schedule 7-1, Keeyask project: Project description [online]. Available from http://www.hydro.mb.ca/projects/keeyask/pdf/Schedule_7_1_090529.pdf [accessed October 26, 2011].
- Manitoba Hydro. 2011a. Bipole III Transmission Project. Mammals Technical Report. Prepared for Manitoba Hydro, Winnipeg by Joro Consultants Inc. and Wildlife Resource Consulting Services MB Inc., November 2011. 164 pp.
- Manitoba Hydro. 2011b. Bipole III Transmission Project. Caribou Technical Report. Prepared for Manitoba Hydro, Winnipeg by Joro Consultants Inc., November 2011. 205 pp.
- Manitoba Hydro 2011c. Wuskwatim Generation Project. Mammal Monitoring Investigations for the Wuskwatim Generation Project Pre-construction and Construction Report (2004-2009). Prepared for Manitoba Hydro, Winnipeg by Wildlife Resource Consulting Services MB Inc., May 2011. 186pp.
- Manitoba Hydro 2012a. Keeyask Draft Environmental Protection Plan. Prepared by XX YY, Winnipeg.
- Manitoba Hydro. 2012b. Keeyask Terrestrial Environment Monitoring Plan. Prepared by XX YY, Winnipeg.
- Manitoba Hydro 2012c. Keeyask Access Management Plan. Prepared by XX YY, Winnipeg.
- Manitoba Hydro and Nisichawayasihk Cree Nation. 2003. Wuskwatim Generation Project Environmental Impact Statement. April 2003.
- Manitoba Model Forest. 2005. Landscape management strategy for the Owl Lake boreal woodland caribou herd, eastern Manitoba: an update of the original 1995 strategy. A report of the Eastern Manitoba Woodland Caribou Advisory Committee to the Manitoba Model Forest. Manitoba Model Forest Report 01-2-33.
- Manitoba Naturalist Society (MNS). 2003. The Birds of Manitoba. Winnipeg, Manitoba. 504 pp.
- Margules, C.R., and R.L. Pressey. 2000. Systematic conservation planning. Nature 405:243-253.
- Mark, A. F. and Johnson, P. N. 1985. Ecologically derived guidelines for managing two New Zealand lakes. Environmental Management 9: 355-364.
- Marks, J.S., D.L. Evans, and D.W. Holt. 1994. Long-eared Owl (*Asio otus*). In The Birds of North America, No. 133 (A. Poole and F. Gill, Eds.). Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Marjakangas, A. and S Kiviniemi. 2005. Dispersal and migration of female Black Grouse Tetrao tetrix in eastern central Finland. Ornis Fennica 82:107–116 pp.
- Martell, A.M. 1981. Food habits of southern red-backed voles (*Clethrionomys gapperi*) in northern Ontario. Canadian Field-Naturalist 95: 325-328.
- Martin, K. and Sommer, M. 2004. Relationships between land snail assemblage patterns and soil properties in temperate-humid forest ecosystems. Journal of Biogeography, 31: 531–545.



- Martinex-Welgan, I. 2003. Insects and Other Invertebrates. Wuskwatim Generating Station Environmental Impact Statement. Prepared for Manitoba Hydro by Wildlife Resources Consulting Services MB Inc.
- Marusik Y.M. and S. Koponen. 2002. Diversity of spiders in boreal and arctic zones. The Journal of Arachnology 30:205–210.
- Massachusetts Government 2007. Natural Heritage Endangered Species Program: Common Tern. Downloaded from: www.masswildlife.org/czm/tipofthemonth/jun04shorebirds.htm.
- Matthews, S.N., R. O'Connor, L.R. Iverson and A.M. Prasad. 2004. Atlas of Climate Change Effects in 150 Bird Species of the Eastern United States. US Department of Agriculture, General Technical Report NE-318.
- Mattson, D.J. 1993. Background and proposed standards for managing grizzly bear habitat security in the Yellowstone Ecosystem. Unpublished.
- Mawdsley, R., O'Malley, R., Ojima, D.S. 2009. A review of climate-change adaptation strategies for wildlife management and biodiversity conservation. Conservation Biology 23(5): 1080-1089.
- McCord, C.M. and Cardoza, J.E. 1982. Bobcat and lynx. In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 728-766.
- McCoy, K.D. and T.D. Nudds. 1997 Interspecific variation in climbing by gastropods: Implications for transmission of *Parelaphostrongylus tenuis*. American Midland Naturalist, Vol. 137 (2): 320-328.
- McCracken, Jon. 2008. "Are Aerial Insectivores Being Bugged Out?" In BirdWatch Canada. Winter 2008. Issue Number 42.
- McCune, B., and M.J. Mefford. 1999. PC-ORD. Multivariate Analysis of Ecological Data. Version 5.0. MjM Software, Gleneden Beach, Oregon, U.S.A.
- McGarigal, K., and Cushman, S.A. 2002. Comparative evaluation of experimental approaches to the study of habitat fragmentation effects. Ecological Applications, 12, 335–345.
- McGregor, R.L., Bender, D.J., and Fahrig, L. 2008. Do small mammals avoid roads because of the traffic? Journal of Applied Ecology 45: 117-123.
- McKey-Fender, D., and W.M. Fender. 1982. Arctiostrotus (gen nov.). Part I. The identity of Pluteilusperrieri Benham, and its relation to glacial refugia. Megadrilogica 4:8 1-85.
- McLean, M.A. and D. Parkinson. 1997. Changes in structure, organic matter and microbial activity in pine forest soil following the introduction of Dendrobaena octaedra (Oligochaera, Lumbricidae). Soil Biology & Biochemistry, 29(3/4): 537-540.
- McLean, M.A. and D. Parkinson. 2000. Introduction of the epigeic earthworm Dendrobaena octaedra changes the oribatid community and microarthropod abundances in a pine forest. Soil Biology & Biochemistry 32: 1671-1681.
- McLeod, R. and J. Gates. 1998. Response of Herpetofaunal communities to forest cutting and burning at Chesapeake Farms, Maryland. American Midland Naturalist 139: 164-177.



- McCord, C.M. and Cardoza, J.E. 1982. Bobcat and lynx. In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 728-766.
- McLoughlin, P.D., Dzus, E., Wynes, B. and Boutin, S. 2003. Declines in populations of woodland caribou. Journal of Wildlife Management 67: 755-761.
- McMahon, B. and Koonz, W. 1991. Abundance and reproductive success of colonial waterbirds on Lake Winnipegosis, 1987-1989. Manitoba Natural Resources, Manuscript Report No 91-02.
- Mech, L.D. 1977. Productivity, mortality, and population trends of wolves in northeastern Minnesota. Journal of Mammalogy 58: 559-574.
- Mech, L.D. 1980. Age, sex, reproduction, and spatial organization of lynxes colonizing northeastern Minnesota. Journal of Mammalogy 61: 261-267.
- Mech, L.D., McRoberts, R.E., Peterson, R.O., and Page, R.E. 1987. Relationship of deer and moose populations to previous winters' snow. Journal of Animal Ecology 56: 615-627.
- Mech, L.D., Fritts, S.H., Radde, G.L., and Paul, W.T. 1988. Wolf distribution and road density in Minnesota. Wildlife Society Bulletin 16: 85-87.
- Mech, L.D. 1995. The challenge and opportunity of recovering wolf populations. Conservation Biology 9: 270-278.
- Mech, L.D., McRoberts, R.E., Peterson, R.O., and Page, R.E. 1987. Relationship of deer and moose populations to previous winters' snow. Journal of Animal Ecology 56: 615-627.
- Meidinger, D. and J. Pojar. 1991. Ecosystems of British Columbia. British Columbia Ministry of Forests, Victoria, B.C. 330 pp.
- Melquist, W.E., and Dronkert, A.E. 1998. River otter. In Wild furbearer management and conservation in North America. Edited *by* M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch. Ontario Ministry of Natural Resources, Peterborough, Ontario. pp. 626-641.
- Melquist, W.E., and Hornocker, M.G. 1983. Ecology of river otters in west central Idaho. Wildlife Monographs 83: 3-60.
- Mierzykowski S., Welch, L., Goodale, W., Evers, D., Hall, C., Kress S., and R. Allen. 2005. Mercury in bird eggs from coastal Maine. USFWS. Spec. Proj. Rep. FY05-MEFO-1-EC. Maine Field Office. Old Town, ME. 14 pp. Accessed at: www.fws.gov/northeast/mainecontaminants/PDF%20files/Hg%20in%20Bird%20Eggs%20Co astal%20ME.pdf.
- Milko, R. 1998a. Environmental Assessment Guideline for Forest Habitat of Migratory Birds. Environment Canada, Canadian Wildlife Service, Ottawa.
- Milko, R. 1998b. Wetlands Environmental Assessment Guideline. Environment Canada, Canadian Wildlife Service, Ottawa.



- Mills A.M. (2005) Changes in the timing of spring and autumn migration in North American migrant passerines during a period of global warming. Ibis 147 (2): 259.
- Miller, B.K., and Litvaitis, J.A. 1992. Use of roadside salt licks by moose, *Alæs alæs*, in northern New Hampshire. Canadian Field Naturalist 106: 112-117.
- Miller, D.R., and Robertson, J.D. 1967. Results of tagging caribou at Little Duck Lake, Manitoba. Journal of Wildlife Management 31: 150-159.
- Miller, P. and Ehnes, J. 2000. Canadian approaches to sustainable forest management maintain ecological integrity? In Ecological integrity: Integrating Environment, Conservation and Health. Edited by D. Pimentel, L. Westra. and R. F. Noss. Island Press, Washington, D.C. pp. 157-176.
- Missouri Department of Conservation. 1999. Missouri Woodpeckers. Missouri Conservationist. December 1999 Vol. 60 No. 12.
- Missouri Department of Conservation. 2008. Status of the Eastern Prairie Population of Canada Geese 2007-2008. Compiled by Andrew Raedeke, July 2008.
- Mitsch, W.J. and J.G. Gosselink. 2000. Wetlands, 3rd Ed. John Wiley & Sons, New York. 920 pp.
- Mladenoff, D.J., Sickley, T.A., Haight, R.G., and Wydeven, A.P. 1995. A regional landscape analysis and prediction of favorable gray wolf habitat in the northern Great Lakes region. Conservation Biology 9(2): 279-294.
- Mladenoff, D.J., Sickley, T.A., and Wydeven, A.P. 1999. Predicting gray wolf landscape recolonization: logistic regression models vs. new field data. Ecological Applications 9: 37-44.
- Montreal Process, 2000. Montreal process year 2000 progress report progress and innovation in implementing criteria and indicators for the conservation of sustainable management of temperate and boreal forests. The Montreal Process Liaison Office. Canadian Forest Service, Ottawa, Canada.
- Moose Harvest Sustainability Plan. 2012. Sustainable Moose Harvesting in the Split Lake Resource Management Area. Draft report prepared for Manitoba Hydro. 49 pp. plus appendices.
- Morel, F.M.M., Kraepiel, A.M.L., and Amyot, M. 1998. The chemical cycle and bioaccumulation of mercury. Annual Review of Ecology and Systematics 29: 543-566.
- Morgan, G. 1991. Beaver ecology/beaver mythology. Ph.D. Dissertation, Department of Anthropology, University of Alberta, Edmonton, AB, Canada. 355 pp.
- Morin, P., Berteaux, D., and Klvana, I. 2005. Hierarchical habitat selection by North American porcupines in southern boreal forest. Canadian Journal of Zoology 83: 1333-1342.
- Morse, L.E., J.M. Randall, N. Benton, R. Hiebert, and S. Lu. 2004. An Invasive Species Assessment Protocol: Evaluating Non-Native Plants for Their Impact on Biodiversity. Version 1. NatureServe, Arlington, Virginia.



- Mosley E., S.B. Holmes and E. Nol. 2005. Songbird diversity and movement in upland and riparian habitats in the boreal mixedwood forest of northeastern Ontario. Canadian Journal of Forest Research, 36: 1149–1164.
- Mozley, A. 1937. A biological study of the sub-Arctic mollusca. Proceedings of the American Philosophical Society, 78(1):147-189.
- Mowat, F. M. and A. H. Lawrie. 1955. Bird observations from southern Keewatin and the interior of northern Manitoba. *Canadian Field-Naturalist* 69:93-116.
- Mowat, G., Poole, K.G., and O'Donoghue, M. 1999. Ecology of lynx in northern Canada and Alaska. In Ruggiero, L.F., Aubry, K.B., Buskirk, S.W., Koehler, G.M., Krebs, C.J., McKelvey, K.S., and Squires, J.R. 1999. Ecology and conservation of lynx in the United States. United States Department of Agriculture Forest Service Rocky Mountain Research Station General Technical Report RMRS-GTR-30WWW. pp. 265-306.
- Mowat, G., Slough, B.G., and Boutin, S. 1996. Lynx recruitment during a snowshoe hare population peak and decline in southwest Yukon. Journal of Wildlife Management 60: 441-452.
- Mulvey, R.H. 1963. Some soil-inhabiting, freshwater and plant parasitic nematodes from the Canadian Arctic and Alaska. Arctic, 16, 202-204.
- Murphy, S.M., and Curatolo, J.A. 1987. Activity budgets and movement rates of caribou encountering pipelines, roads, and traffic in northern Alaska. Canadian Journal of Zoology 65:2483-2490.
- Murphy, M. T. 1989. Life history variability in North American breeding tyrant flycatchers: phylogeny, size or ecology. Oikos 54:3-14.
- Murray D. L., J. R. Cary, L. B. Keith. 1997. Interactive effects of sublethal nematodes and nutritional status on snowshoe hare vulnerability to predation. The Journal of Animal Ecology, Vol. 66, No. 2, pp. 250-264.
- Murray, D.L. 2000. A geographic analysis of snowshoe hare population demography. Canadian Journal of Zoology 78: 1207-1217.
- Murray, D.L., Cox, E.W., Ballard, W.B., Whitalw, H.A., Lenarz, M.S., Custer, T.W., Barnett, T. and Fuller, T.K. 2006. Pathogens, nutritional deficiency, and climate influences on a declining moose population. Wildlife Monographs 166: 1-30.
- Nadeau, S., Décarie, R., Lambert, D.M. and St-Georges, M. 1995. Nonlinear modeling of muskrat use of habitat. Journal of Wildlife Management 59(1): 110-117.
- Nagorsen, D.W., and Peterson, R.L. 1981. Distribution, abundance and diversity of small mammals in Quetico Provincial Park, Ontario. Naturaliste Canadian 108: 209-218. In Beneski, J.T. and D.W. Stinson. 1987. *Sorex palustris*. Mammalian Species 296: 1-6.
- Naiman, R.J., Melillo, J.M., and Hobbie, J.E. 1986. Ecosystem alteration of boreal forest streams by beaver (*Castor canadensis*). Ecology 67: 1254-1269.



- NALCOR. 2009a. Existing mercury concentrations in osprey and ecological risk assessment. Mercury, Report 3 of 5, Environmental Impact Statement for the Lower Churchill Hydroelectric Generation Project. 30 p. plus appendices.
- NALCOR. 2009b. Lower Churchill Hydroelectric Generation Project Environmental Impact Statement Volume II Part A Biophysical Assessment. Accessed at: www.NALCORenergy.com/assets/eisvol2a.pdf.
- Nappi, K. and S. Vogle. 2001. Animal kingdom: Invertebrate phyla. Online at http://www.aacps.org/aacps/boe/INSTR/CURR/comed/es/webquest/miniquest/AnimalKingdomPhyla/indexani.htm. Accessed March 31, 2008.
- National Wetlands Working Group. 1997. The Canadian Wetland Classification System. 2nd Ed. Edited by B.G. Warner and C.D.A. Rubec. Wetlands Research Centre, University of Waterloo, Waterloo, Ontario. 68 pp.
- National Wetlands Working Group. 1988. Wetlands of Canada. Ecological Land Classification Series No. 24, Environment Canada, Ottawa, Ontario, and Polyscience Publications, Montreal, Quebec. 452 pp.
- NatureNorth. 2006. Biogeography: Dragonflies of Manitoba. Online at http://www.naturenorth.com/dragonfly/DOM/Page05 Biogeography.html. Accessed April 2, 2008.
- NatureServe. 2009. NatureServe explorer: An online encyclopedia of life [web application]. Version 7.1. NatureServe, Arlington, Virginia. Available http://www.natureserve.org/explorer. (Accessed December 4, 2009).
- NatureServe. 2011. NatureServe Explorer: an online encyclopedia of life [web application]. Version 7.1. NatureServe, Arlington, Virginia. Available at http://www.natureserve.org/explorer. [accessed 15 December 2011].
- Nature Watch Canada. 2002. Frog Watch. Available at: http://www.naturewatch.ca/english/frogwatch/mb/steps.html
- Neher, D. A. 2001. Role of nematodes in soil health and their use as indicators. Journal of Nematology, 33:161-168.
- Neathery, M.W., Miller, W.J., Gentry, R.P., Stake, P.E., and Blackmon, D.M. 1974. Cadmium-109 and methyl mercury-203 metabolism, tissue distribution, and secretion into milk of cows. Journal of Dairy Science 57(10): 1177-1183.
- Nellemann, C. and Cameron, R.D. 1995. Effects of petroleum development on terrain preferences of calving caribou. Arctic 49: 23-28.
- Nelson, J.L., Zavaleta, E.S., and Chapin, F.S. III. 2008. Boreal fire effects on subsistence resources in Alaska and adjacent Canada. Ecosystems 11:156-171.
- Newman, D.G., and Griffin, C.R. 1994. Wetland use by river otters in Massachusetts. Journal of Wildlife Management 58: 18-23.



- Newmaster, S.G., Harris, A.G. and L.J. Kershaw. 1997. Wetland plants of Ontario. Lone Pine Publishing and Queen's Printer, Ottawa, Ontario. 240pp.
- Newton, I, I. Wyllie, and L. Dale. 1997. Mortality Causes in Barn Owls. In: Biology and Conservation of Owls of the Northern Hemisphere. USDA Forest Service General Technical Report NC-190.
 Proceedings of the Second International Symposium. Feb 5-9, 1997. Winnipeg, Manitoba. James Duncan, David Johnson, and Thomas Nichols eds. Pages 299-307.
- Nichols, H. 1976. Historical aspects of the northern Canadian treeline. Artic 29(1): 38–47.
- Niemi, G., J. Hanowski, P. Helle, M. Monkkonen, L. Venier and D. Welsh. 1998. Ecological Sustainability of birds in boreal forests. Conservation Ecology [online] 2(2):17. Available at: http://www.consecol.org/vol12/iss2/art17/.
- Nisbet, I. C. T. 2002. Common Tern (*Sterna hirundo*). In <u>The Birds of North America</u>, No. 618 (A. Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.
- North/South Consultants. 2007. Mercury in Freshwater Environments in Northern Manitoba.

 Presentation for the Mercury and Human Health Technical Working Group. Winnipeg, July 30, 2007.
- Noss, R. F. 1987. From plant communities to landscapes in conservation inventories; A look at the Nature Conservancy (USA). Biological Conservation 41: 11-37
- Noss, R. F., Nielsen, S. and Vance-Borland, K. 2009. Prioritizing Ecosystems, Species, and Sites for Restoration. *In Spatial Conservation Prioritization*: Quantitative Methods and Computational Tools. (A. Moilanen, K. A. Wilson and H. Possingham eds.). Oxford University Press Canada. Pages 158-171.
- Noss, R.F., Quigley, H.B., Hornocker, M.G., Merrill, T., and Paquet, P.C. 1996. Conservation biology and carnivore conservation in the Rocky Mountains. Conservation Biology 10(4): 949-963.
- Novak, M. 1998. Beaver. In Wild furbearer management and conservation in North America. Edited by M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch. Ontario Ministry of Natural Resources, Peterborough, Ontario. pp. 282-312.
- Nowak, R.M. 1974. The grey wolf in North America; a preliminary report. Report for the U.S. Fish and Wildlife Service. Manuscript. In Paradiso, J.L., and Nowak, R.M. 1982. Wolves *Canis lupus* and allies. In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 232-325.
- O'Connon, D.J., and Nielsen, S.W. 1981. Environmental survey of methyl mercury levels in wild mink (*Mustela vison*) and otter (*Lutra canadensis*) from the northeastern United States and experimental pathology of methylmercurialism in the otter. In Hallbrook, R.S., Jenkins, J.H., Bush, P.B., and Seabolt, N.D. 1994. Sublethal concentrations of mercury in river otters: monitoring environmental contamination. Archives of Environmental Contamination and Toxicology 27: 306-310.



- O'Donoghue, M., Boutin, S., Krebs, C.J., and Hofer, E.J. 1997. Numerical responses of coyotes and lynx to the snowshoe hare cycle. Oikos 80: 150-162.
- Oehler, J.D., and Litvaitis, J.A. 1996. The role of spatial scale in understanding responses of mediumsized carnivores to forest fragmentation. Canadian Journal of Zoology 74: 2070-2079.
- Oldemeyer, J.L. 1974. Nutritive value of moose forage. Naturaliste Canada 101: 217-226.
- Oldemeyer, J.L., Franzmann, A.W., Brundage, A.L., Areneson, P.H., and Flynn, A. 1977. Browse quality and the Kenai moose population. Journal of Wildlife Management 41: 533-542.
- Ontario Ministry of Natural Resources. 2012. Executive Summary: Ontario Wetland Evaluation System. http://www.web2.mnr.gov.on.ca/mnr/Biodiversity/wetlands/owes/OWES Executive Summary 20110126.pdf (Accessed April 20, 2012).
- Ontario Woodlot Association. 2006. Cavity Trees Nature's Refuge in TREES: Volume 1-1. Ontario Ministry of Natural Resources. January 2006.
- Opdam, P. and D. Wascher. 2004. Climate change meets habitat fragmentation: linking landscape and biogeographical scale levels in research and conservation. Biological Conservation 117 (2004) 285–297.
- Oring, L.W., E.M. Gray and J.M. Keed. 1997. Spotted Sandpiper. In The Birds of North America, No. 289 (A. Poole and F. Gill Eds). The Academy of Natural Sciences, Philadelphia, PA, and American Ornithologists Union, Washington, DC.
- Organ, J.F., Vashon, J.H., McDonald, J.E. Jr., Vashon, A.D., Crowley, S.M., Jakubas, W.J., Matula, G.J. Jr., and Meehan, A.L. 2008. Within-stand selection of Canada lynx natal dens in northwest Maine, USA. Journal of Wildlife Management 72: 1514-1517.
- Oxley, D.J., Fenton, M.B., and Carmody, G.R. 1974. The effects of roads on populations of small mammals. Journal of Applied Ecology 11: 51-59.
- Palidwor, K., Schindler, D.W., and Hagglund, B.R. 1995. Habitat suitability index models within the Manitoba Model Forest Region: Moose (*Alces alces*). Version 2.0. Contract # 94-2-09. Prepared for the Manitoba Forestry/Wildlife Management Project and Manitoba Natural Resources. 58 pp.
- Palen, W., Williamson, C., Clauser, A., and D. Schindler. 2005. Impact of UV-B exposure on amphibian embryos: linking species physiology and oviposition behaviour. Proc Biol Sci. 272(1569): 1227–1234.
- Paradiso, J.L., and Nowak, R.M. 1982. Wolves *Canis lupus* and allies. In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 232-325.
- Parson, E.A. 2001. Potential consequences of climate variability and change for Alaska. Pages 283-312 in National Assessment Synthesis Team, editors. Climate change impacts on the United States: the potential consequences of climate change variability and change—foundation. Cambridge University Press. Cambridge, UK.



- Paton, P.W. 1994. The effect of edge on avian nest success: How strong is the evidence? Conserv. Biol. 8: 17–26.
- Pattie, D.L., and Hoffmann, R.S. 1990. Mammals of the North American parks and prairies. Donald. L. Pattie., Edmonton, Alberta. 579 pp.
- Payette, S. 1987. Recent porcupine expansion at tree line: a dendroecological analysis. Canadian Journal of Zoology 65: 551-557.
- Payette, S. 1992. Fire as a controlling process in the North American boreal forest. In A systems analysis of the global boreal forest. Edited by H. H. Shugart, R. Leemans and G. Bonan, Cambridge University Press, Cambridge, pp. 144-169.
- Payne, N.F. 1989. Population dynamics and harvest response of beaver. Fourth Eastern Wildlife Damage Control Conference. 134 pp.
- Pearce J. L. and L. A. Venier. 2006. The use of ground beetles (Coleoptera: Carabidae) and spiders (Araneae) as bioindicators of sustainable forest management: A review. Ecological Indicators, 6: 780–793.
- Peek, K.M. 1974. Initial response of moose to a forest fire in northeastern Minnesota. American Midland Naturalist 91: 435-438.
- Peek, K.M. 2007. Habitat relationships. In Ecology and management of the North American moose. Edited by A.W. Franzmand and C.C. Schwartz. University Press of Colorado, Boulder, Colorado. pp. 351-375.
- Perry, H.P.J. 1982. Muskrats *Ondatra zibethicus* and *Neofibre alleni*. In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 232-325.
- Person, D.K. and Russell, A.L. 2008. Correlates of mortality in an exploited wolf population. Journal of Wildlife Management 72(7): 1540-1549.
- Peterson, Roger Tory. 2002. Birds of Eastern and Central North America. 5th ed. Pp 132-167. Houghtom Mifflin Company, Boston, Massachusetts.
- Philcox, C.K., Grogan, A.L., and MacDonald, D.W. 1999. Patterns of otter *Lutra lutra* road mortality in Britain. Journal of Applied Ecology 36: 748-762.
- Phillips, R.L., Berg, W.E., and Siniff, B. 1973. Moose movement patterns and range use in northwestern Minnesota. Journal of Wildlife Management 37: 266-278.
- Pierotti, R. J. and T. P. Good. 1994. Herring Gull (Larus argentatus), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/124
- Pimachiowin Aki Corporation. 2012. Pimachiowin Aki World Heritage Project: Nomination for Inscription on the World Heritage List. 263 pp.



- Pitt, J.A., Larivière, S., and Messier, F. 2008. Survival and body condition of raccoons at the edge of the range. Journal of Wildlife Management 72(2): 389-395.
- Plummer, P.J.G. 1954. Rabies in Canada, with special reference to wildlife reservoirs. Bulletin of the World Health Organization 10: 767-774.
- Podani, J. 1993. SYN-TAX 5.0. Scientia Publishing, Budapest, Hungary.
- Poole, K.G. 1994. Characteristics of an unharvested lynx population during a snowshoe hare decline. Journal of Wildlife Management 58: 606-618.
- Poole, K.G., Elkin, B.T., and Bethke, R.W. 1998. Organochlorine and heavy metal contaminants in wild mink in western Northwest Territories, Canada. Archives of Environmental Contamination and Toxicology 34: 406-413.
- Popescu, V.D. and Gibbs, J.P. 2009. Interactions between climate, beaver activity, and pond occupancy by the cold-adapted mink frog in New York State, USA. Biological Conservation 142: 2059-2068.
- Porsild, A. E., and Cody, W. J. 1980. Vascular Plants of Continental Northwest Territories, Canada. National Museum of Natural Sciences. Ottawa, Ontario. 667pp.
- Poston, B., 3)D. Ealey, P. Taylor and G. McKeating. 1990. Priority Migratory Bird Habitats of Canada's Prairie Provinces. Canadian Wildlife Service. Edmonton, Alberta.
- Potvin, F., Breton, L., and Courtois, R. 2005. Response of beaver, moose, and snowshoe hare to clear-cutting in a Québec boreal forest: a reassessment 10 years after cut. Canadian Journal of Forest Research 35: 151–160.
- Powell, R.A. 1981. Martes pennanti. Mammalian Species 156: 1-6.
- Powell, R.A. 1994. Effects of scale on habitat selection and foraging behaviour of fishers in winter. Journal of Mammalogy 75(2): 349-356.
- Powell, W.J. and Zielinski, W.J. 1994. Fisher. In The scientific basis for conserving carnivores: American marten, fisher, lynx, and wolverine in the western United States. Edited *by* L.F. Ruggiero, K.B. Aubry, and S.W. Buskirk. USDA Forest Service General Technical Report, Fort Collins, Colorado. pp. 38-73.
- Preble, E.A. 1902. A biological investigation of the Hudson Bay region. North American Fauna No. 22. United States Department of Agriculture, Washington, D.C. 140 pp.
- Preston, W. B. 1982. The amphibians and reptiles of Manitoba. Manitoba Museum of Man and Nature, Winnipeg, Canada. Pp. 128.
- Preston. 1983 The Amphibians and Reptiles of Manitoba. [DN: to come from Shirley]
- Prevett, J., I. Marshall and V. Thomas. 1985. Spring foods of Snow and Canada Geese at James Bay. Journal of Wildlife Management. 49 (3):558-563.
- Price, J. T, and Root, T. L. 2001. Climate change and neotropical migrants. In: Rahm, J.; McCabe,



- R, eds. Changing climates of North America: political, social, and ecological: transactions of the sixty-sixth North American Wildlife and natural resources conference; 2001 March 16-20; Washington DC. Washington DC: Wildlife Management Institute. 371-379.
- Pulliam 1988 Pulliam, H. R. (1988). Sources, sinks, and population regulation. American Naturalist 132: 652–661.
- Quay, W.B. 1955. Distributional notes on small mammals in northern Manitoba, Canada. Journal of Mammalogy 36(1): 123.
- Quinn, G.P., and Keough, M.J. 2002. Experimental design and data analysis for biologists. Cambridge University Press, New York.
- Rabinowitz, D., Cairns, S., and Dillon, T. 1986. Seven forms of rarity and their frequency in the flora of the British Isles. In Conservation Biology: the Science of Scarcity and Diversity. Edited by M.S. Soulé. Sinauer Associates, Sunderland, England. pp. 182-204.
- Radvanyi, A., and Shaw, G.G. 1980. Heavy metal contamination of food and tissues of muskrats in northern Manitoba. In Proceedings of the Worldwide Furbearer Conference, Frostburg, Maryland. Edited *by* J.A. Chapman and D. Pursley. pp. 1691-1697.
- Rabení C.F., K.E. Doisy and L.D. Zweig. 2005. Stream invertebrate community functional responses to deposited sediment. Aquatic Science 67: 395-402.
- Radvanyi, A., and Shaw, G.G. 1980. Heavy metal contamination of food and tissues of muskrats in N. Manitoba. *In Proc.* Worldwide Furbearer Conf. *Edited by* J.A. Chapman and D. Pursley. pp. 1691-1697.
- Ralph, C., G. Geupel, P. Pyle, T. Martin and P. Desante. 1993. Handbook of field methods for monitoring landbirds. Pacific Southwest Research Station. Albany, California.
- Randa, L.A., and Yunger, J.A. 2006. Carnivore occurrence along an urban-rural gradient: a landscape-level analysis. Journal of Mammalogy 87: 1154-1164.
- Raunio, A., Schulman, A., and Kontula, T. 2008. Summary: the assessment of threatened habitat types in Finland. Finnish Environment Institute (SKYE). Helsinki, Finland. pp. 253-264.
- Rausch, R.A. 1967. Some aspects of the population ecology of wolves, Alaska. American Zoologist 7: 253-265.
- Raveling, D. 1977. Canada Geese of the Churchill River Basin in north-central Manitoba. Journal of Wildlife Management. 41(1):35-47.
- Reaume, T. 2009. 620 Wild Plants of North America Fully Illustrated. Canadian Plains Research Center, University of Regina. 784pp.
- Reid, D.E. 1977. Permafrost in peat landforms in northwestern Alberta in D.E. Reid ed. Vegetation and Disturbance Studies along the Proposed Arctic Gas Route. Biological Report Series vol. 37. Canadian Arctic Gas Study Ltd., Calgary, Alberta.



- Reid, D.G., Code, T.E., Reid, A.C.H., and Herrero, S.M. 1994a. Spacing, movements, and habitats selection of river otter in boreal Alberta. Canadian Journal of Zoology 72: 1314-1324.
- Reid, D.G., Code, T.E., Reid, A.C.H., and Herrero, S.M. 1994b. Food habits of the river otter in a boreal ecosystem. Canadian Journal of Zoology 72: 1306-1313.
- Reijnen, R., R. Foppen, C. T. Braak and J. Thissen. 1995. The effects of car traffic on breeding bird populations in woodland. III. Reduction of density in relation to the proximity of main roads Journal of Applied Ecology 32, 187-202.
- Rempel, R.S. 2011. Effects of climate change on moose populations: exploring the response horizon through biometric and systems models. Ecological Modelling 222: 3355-3365.
- Renecker, L.A. and Hudson, R.J. 1986. Seasonal energy expenditures and thermoregulatory responses of moose. Canadian Journal of Zoology 64: 322-327.
- Rettie, W.J., Sheard, J.W., and Messier, F. 1997. Identification and description of forested vegetation communities available to woodland caribou: relating wildlife habitat to forest cover data. Forest Ecology and Management 93: 245-260.
- Rettie, W.J., and Messier, F. 1998. Dynamics of woodland caribou populations at the southern limit of their range in Saskatchewan. Canadian Journal of Zoology 76: 251-259.
- Rettie, W.J., and Messier, F. 2000. Hierarchical habitat selection by woodland caribou: its relationship to limiting factors. Ecography 23: 466-478.
- Rheault, H., Drapeau, P., Bergeron, Y., and Esseen, P.-A. 2003. Edge effects on epiphytic lichens in managed black spruce forests of eastern North America. Can. J. For. Res. 33: 23-32.
- Richardson, R.M., and Rejmanek, M. 2011. Trees and shrubs as invasive alien species a global review. Diversity and Distributions 17: 788-809.
- Riley, J.L. 2003. Flora of the Hudson Bay Lowland and it Postglacial Origins. NRC Press Ottawa, Ontario, Canada. 236 pp.
- Ringius, G. S., and Sims R. A. 1997. Indicator Plant Species in Canadian Forests. Canadian Forest Service, Natural Resources Canada. Ottawa, Ontario. 218pp.
- Robertson, B.A. and R.L. Hutto. 2007. Is selectively harvested forest an ecological trap for Olive-sided Flycatchers? The Condor 109:109–121.
- Robbins, C.S., J.R. Sauer, R.S. Greenberg, S. Droege. 1989. Population declines of North American birds that migrate to the Neotropics. Proceedings of the National Academy of Sciences of the United States of America (PNAS). 86 (19):7658-7662.
- Robillard, S. Beauchamp, G. Paillard, G. and Bélanger. Levels of cadmium, lead, mercury and ¹³⁷caesium (*Rangifer tarandus*) tissues from northern Québec. Arctic 55(1): 1-9.
- Robinson, S.K. and D.S. Wilcove. 1994. Forest fragmentation in the temperate zone and its effects on migratory songbirds. Bird Conserv. Int. 4: 233–249.



- Roblee, K.J. 1987. The use of the T-culvert guard to protect road culverts from plugging damage by beavers. Third Eastern Wildlife Damage Control Conference pp. 24-33.
- Rock, J.C., M.L. Leonard and A.W. Boyne. 2007. Foraging Habitat and Chick Diets of Roseate Tern, *Sterna dougallii*, Breeding on Country Island, Nova Scotia. Downloaded from: www.ace-eco.org/vol2/iss1/art4/ACE-ECO-2007-126.pdf.
- Rodenhouse, N.L., L.B. Best, R.J. O'Conner and E.K. Bollinger. 1995. Effects of agricultural practices and farmland structures. In Ecology and management of Neotropical migratory birds. Edited *by* T.E. Martin and D.M. Finch. Oxford University Press, Oxford. pp. 269–293.
- Rodrigues, A.S.L., and Gaston, K. J. 2001. How large do reserve networks need to be? Ecol. Lett. 4, 602–609.
- Rolstad, J. 1991. Consequences of forest fragmentation for the dynamics of bird populations: conceptual issues and the evidence. *Biological Journal of the Linnean Society*, 42: 149-163.
- Römbke J., S. Jänsch and R. Scroggins. 2006. Identification of potential organisms of relevance to Canadian boreal forest and northern lands for testing of contaminated soils. Environmental Reviews 14: 137–167.
- Roques, K.G., O'Connor, T.G., and Watkinson, A.R. 2001. Dynamics of shrub encroachment in an African savanna: relative influences of fire, herbivory, rainfall and density dependence. Journal of Applied Ecology 38: 268-280.
- Rorslett, B. 1984. Environmental factors and aquatic macrophytes response in regulated lakes- a statistical approach. Aquatic Botany 19:199-220.
- Rosell, F., O. Bozsér, O., Collen, P., and Parker, H. 2005. Ecological impact of beavers Castor fiber and Castor canadensis and their ability to modify ecosystems. Mammal Review 35(3 & 4): 248-276.
- Rosenberg, D.M. and A.P. Wiens. 1978. Effects of sediment addition on macrobenthic invertebrates in a northern Canadian river. Water Research, 12, 753-763.
- Ross B, Fredericksen T,Ross E,HoffmanW,Morrison ML,Beyea J, Lester MB, Johnson BN, Fredericksen NJ. 2000. Relative abundance and species richness of herpetofauna in forest stands in Pennsylvania. Forest Science 46: 139–146.
- Rowe, J.S. 1961. The Level-of-Integration Concept and Ecology, Vol. 42:(2) pp. 420-427.
- Rowe, J.S. and Scotter, G.W., 1973. Fire in the boreal forest. Quarternary Research 3, 444–464.
- Rowe, J. S. 1983. Concepts of fire effects on plant individuals and species. In The role of fire in northern circumpolar ecosystems. SCOPE 18. Edited by R. W. Wein and D. A. MacLean. John Wiley & Sons Ltd, New York, pp. 135-154.
- Rowell, P., G.L. Holroyd and U. Banasch. 2003. The 2000 Canadian Peregrine Falcon Survey. Journal of Raptor Research 37(2):98-116.
- Royer, F., and Dickinson, F. R. 1999. Weeds of Canada and the Northern United States. Winnipeg, MB: Lone Pine Publishing and the University of Alberta Press.



- RRCS (Renewable Resources Consulting Services Ltd.). 1994. A review of the literature pertaining to the effects of noise and other disturbance on wildlife. EIS: military flight training. An environmental impact statement on military flying activities in Labrador and Québec. Department of National Defence (DND). 155 pp.
- Ruggiero, L.F., Aubry, K.B., Buskirk, S.W., Koehler, G.M., Krebs, C.J., McKelvey, K.S., and Squires, J.R.1999. Ecology and conservation of lynx in the United States. United States Department of Agriculture Forest Service Rocky Mountain Research Station General Technical Report RMRS-GTR-30WWW. 474 pp. + appendices.
- Rupp, T.S., Olson, M., Adams, L.G., Dale, B.W., Joly, K., Henkelman, J., Collins, W.B., and Starfield, A.M. 2006. Simulating the influences of various fire regimes on caribou winter habitat. Ecological Applications 15(5): 1730-1743.
- Rusch, D.H., S. Destefano, M.C. Reynolds and D. Lauten. 2000. Ruffed Grouse. In The Birds of North America, No. 62 (A. Poole and F. Gill, Eds.). Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Ryder, J. P. 1992. Ring-billed Gull (Larus delawarensis). In The Birds of North America, No. 33 (A. Poole, P. Stettenheim, and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Saint-Germain, M., M. Larrive, P. Drapeau, L. Fahrig and C.M. Buddle. 2005. Short-term response of ground beetles (Coleoptera: Carabidae) to fire and logging in a spruce-dominated boreal landscape. Forest Ecology and Management 212: 118–126.
- Salmo Consulting Inc. Diversified Environmental Services. GAIA Consultants Inc. Forem Technologies Ltd. and AXYS Environmental Consulting Ltd. 2003. CEAMF Study: Volume 2. Cumulative Effects Indicators, Thresholds and Case Studies. The BC Oil and Gas Commission and The Muskwa Kechika Advisory Board. 83 pp.
- Salmo Consulting Inc., Axys Environmental Consulting Ltd., Forem Technologies and Wildlife & Company Ltd. 2004. Deh Cho Cumulative Effects Study Phase 1: Management Indicators and Thresholds. Prepared for: Deh Cho Land Use Planning Committee. Fort Providence, Northwest Territories. 152 pp.
- Sammler, J.G. 2001. Population Trends of Tundra-Nesting Birds in Churchill, Manitoba. A Masters Thesis Submitted to the Faculty of the Graduate School of the University of Minnesota. August 2001.
- Samuel, W.M. 1981. Attempted experimental transfer of sarcoptic mange (*Scarcoptes scabiei*, Acarina: Sarcoptidae) among red fox, coyote, wolf, and dog. Journal of Wildlife Diseases 17: 343-347.
- Sanderson, G.C. 1998. Racoon. In Wild furbearer management and conservation in North America. Edited by M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch. Ontario Ministry of Natural Resources, Peterborough, Ontario. pp. 486-499.



- Sauer, J.R., J.E. Hines, and J. Fallon. 2005. The North American Breeding Bird Survey, Results and Analysis 1966-2004. Version 2005.2. USGS Patuxent Wildlife Research Center, Laurel, MD. Available online at: www.mbrpwrc. usgs.gov/bbs/bbs.html.
- Saunders, D. A., Hobbs, R. J., and Margules, C. R. 1991. Biological Consequences of Ecosystem Fragmentation: A Review. Conservation Biology 5: 18-32.
- Schetagne, R., M. Lucotte, N. Therien, C. Langlois and A. Tremblay. 1999. Mercury in natural ecosystems of northern Quebec. Lucotte, M., R. Schetagne, N. Therien, C. Langois, A. Tremblay (Eds); In Mercury in the Biogeochemical Cycle. Natural Environments and Hydroelectric Reservoirs of Northern Quebec (Canada). Springer. 334 pp.
- Schetagne, R and R. Verdon. 1999. Mercury in Fish of Natural Lakes of Northern Quebec. In Lucotte, M., Schetagne, R., Therien, N., Langlois, C., and A. Tremblay (Eds.) Mercury in the Biogeochemical Cycle. Natural Environments and Hydroelectric Reservoirs of Northern Quebec. Springer, New York.
- Scheuhammer, A. 1995. Methylmercury exposure and effects in piscivorous birds. Proceedings of 1995 Canadian Mercury Network Workshop. Environment Canada, Canadian Wildlife Service. Accessed at www.eman-rese.ca/eman/reports/publicatoins/mercury95/part1.html.
- Scheuhammer, A.M., Meyer, M.W., Sandheinrich, M.B., and Murray, M.W. 2007. Effects of environmental methyl mercury on the health of wild birds, mammals, and fish. Ambio 36: 12-18.
- Schieck, J.O. and Hannon, S.J. 1989: Breeding site fidelity in willow ptarmigan: the influence of previous reproductive success and familiarity with partner and territory. Oecologia 81: 465-472 pp.
- Schimmel, J., and Granström, A. 1996. Fire severity and vegetation response in the boreal Swedish forest. Ecology 77: 1436-1450.
- Schindler, D.W., Walker, D., Davis, T., and Westwood, R. 2007. Determining effects of an all weather logging road on winter woodland caribou habitat use in south-eastern Manitoba. Rangifer Special Issue No. 17:1-9.
- Schmiegelow F.K.A. and J.A. Beck 2001. Wildlife Modeling and Biomonitoring, SFM Network Project: Large Scale Issues in Sustainable Forestry, Department of Renewable Resources, University of Alberta, January 2001. Report to the Sustainable Forest Network.
- Schmiegelow, F.K.A. and M. M Monkkonen. 2002. Habitat loss and fragmentation in dynamic landscapes: avian perspectives from the boreal forest. Ecological Applications 12(2): 375-389.
- Schmitz, O.J., and Nudds, T.D. 1994. Parasite-mediated competition in deer and moose: how strong is the effect of meningeal worm on moose? Ecological Applications 4: 91-103.
- Schoen, J.W. 1990. Bear habitat management: a review and future perspective. International Conference on Bear Research and Management 8: 143-154.
- Schroeder, M.A., 1985, Behavioural differences of female Spruce grouse undertaking short and long migrations, Condor 85: 281-286 pp.



- Schwartz, C.C. and Franzmann, A.W. 1991. Interrelationship of black bears to moose and forest succession in the northern coniferous forest. Wildlife Monographs 113: 3-58.
- Schwartz, M.W., L.R. Iverson and A.M. Prasad. 2001. Predicting the potential future distribution of four tree species in Ohio, USA, using current habitat availability and climatic forcing. Ecosystems 4: 568-581.
- Scoggan, H.J. 1957. Flora of Manitoba. National Museum of Canada Bulletin 140. Department of Northern Affairs and National Resources. Ottawa, Ontario. 619pp.
- Scoggan, H. J. 1978. Flora of Canada. Parts 1-4. National Museum of Natural Sciences. Publications in Botany, No. 7. National Museums of Canada. Ottawa, Ontario. 1711pp.
- Scudder, G.G.E. and I.M. Smith. 1999. eds. Assessment of species diversity in the Montane Cordillera Ecozone. Burlington: Ecological Monitoring and Assessment Network Agriculture and Agrifood Canada and Environment Canada. Ottawa, Ontario.
- Sealy, S.G. 2002. Discovery of a 'lost' specimen of the American water shrew from Churchill, MB. Blue Jay 60: 113-115.
- Seattle Audubon Society. 2003. Northern Flicker. Bird Web. Retrieved from: http://www.birdweb.org/birdweb/bird_details.aspx?id=279, June 17, 2008.
- Seburn, D. and C. Seburn. 2000. Conservation priorities for the amphibians and reptiles of Canada. Report prepared for World Wildl. Fund Canada and Can. Amphibian and Reptiles Conservation Network. 92 p.
- Seiler, A., and Eriksson, I.-M. 1997. New approaches for ecological consideration in Swedish road planning. In Proceedings of the international conference on "Habitat fragmentation, infrastructure and the role of ecological engineering," Maastricht & DenHague 1995. Edited by K. Canters, A. Piepers, and A. Hendriks-Heersma. Ministry of Transport, Public Works and Water Management, Road and Hydraulic Engineering Division, Delft, The Netherlands. pp. 253-264.
- Sell, J.L., and Davison, K.L. 1973. Mercury-203 in milk tissues of cow and goat following intraruminal injection of methyl mercuric (labeled 203) chloride. Journal of Dairy Science 56:671. In Neathery, M.W. and Miller, W.J. 1975. Metabolism and toxicity of cadmium, mercury, and lead in animals: a review. Journal of Dairy Science 58: 1767-1781.
- Serfass, T.L., and Rymon, L.M. 1985. Success of river otter introduced in Pine Creek drainage in northcentral Pennsylvania. Transactions of the Northeast Section of the Wildlife Society 41: 138-149. In Larievière, S. and Walton, L.R. 1982. *Lontra canadensis*. Mammalian Species 587: 1-8.
- Sheffy, T.B., and St. Amant, J.R. 1982. Mercury burdens in furbearers in Wisconsin. Journal of Wildlife Management 46: 1117-1120.
- Sheridan, G.J. and P.J. Noske. 2007. A quantitative study of sediment delivery and stream pollution from different forest road types. Hydrological Processes, 21, 387-398.
- Shideler, R.T., Robus, M.H., Winter, J.F., and Kuwada, M. 1986. Impacts on human developments and land use on caribou: A literature Review. 86-2 & 3. Alaska Dept. of Fish and Game. Juneau, AK.



- Shoesmith, M.W., and Storey, D.R. 1977. Movements and associated behaviour of woodland caribou in central Manitoba. Manitoba Department of Renewable Resources and Transportation Services, Research MS Rep. No. 77-15. 24 pp.
- Siegert, F., G. Ruecker, A. Ninrichs and A.A. Hoffman. 2001. Increased damage from fires in logged forest during droughts caused by El Nino. Nature 414 (6862): 437-440.
- Sillett, T.S., R.T. Holmes, and T.W. Sherry. 2000. Impacts of a global climate change on the population dynamics of a migratory songbird. Science 288:2040-2042.
- Simonetti 2003 Vergara, Pablo M. and Simonetti, Javier A. Avian responses to fragmentation of the Maulino Forest in central Chile.
- Simons, T.R. and S. Schulte. 2007. American Oystercatcher (*Haematopus palliatus*) research and monitoring in North Carolina. 2007 Annual Report. USGS North Carolina Cooperative Fish and Wildlife Research Unit Department of Zoology, North Carolina State University 55 pp.
- Sinclair, P.H., W.A. Nixon, C.D. Eckert, and N.L. Hughes. 2003. Birds of the Yukon Territory. UBC Press, Vancouver, B.C. 595 pp.
- Skinner, W.R. and M. McGrath. 1994. The Ptarmigan of Newfoundland. Wildlife Division: Department of Forest Resources and Agrifoods. January 1994.
- Skinner, K., Wright, N., and Porter-Goff, E. 2007. Mercury uptake and accumulation by four species of aquatic plants. Environmental Pollution 145: 234-237.
- Slough, B.G. 2007. Status of the wolverine Gulo gulo in Canada. Wildlife Biology 13 (Suppl. 2): 76-82.
- Smith, A.L., Hewitt, N., Klenk, N., Bazely, D.R., Yan, N., Wood, S., Henriques, I, MacLellan, J.I. and Lipsig-Mumme, C. 2012. Effects of climate change on the distribution of invasive alien species in Canada: a knowledge synthesis of range change projections in a warming world. Environmental review 20: 1-16
- Smith, D.A. and Foster, J.B. 1957. Notes on the small mammals of Churchill, Manitoba. Journal of Mammalogy 38(1): 98-115.
- Smith, R.D., Ammann, A., Bartoldus, C., and Brinson, M.M. 1995. An approach for assessing wetland functions using Hydrogeomorphic Classification Reference Wetlands, and Functional Indices. Prepared for US Army Corps of Engineers. Wetlands Research Program technical report WRP-DE-9.
- Smith, D.W., Trauba, D.R., Anderson, R.K., and Peterson, R.O. 1994. Black bear predation on beavers on an island in Lake Superior. American Midland Naturalist 132: 248-255.
- Smith, D.W., and Peterson, R.O. 1991. Behavior of beaver in lakes with varying water levels in northern Minnesota. Environmental Management 15: 395-401.
- Smith, R.E., H. Veldhuis, G.F. Mills, R.G. Eilers, W.R. Fraser, and G.W. Lelyk. 1998. Terrestrial Ecozones, Ecoregions, and Ecodistricts of Manitoba: An Ecological Stratification of Manitoba's Natural Landscapes. Land Resource Unit, Brandon Research Centre, Research Branch, Agriculture and Agri-Food Canada. Research Branch. Technical Bulletin 1998-9E.



- Smith, L.M., and Kadlec, J.A. 1985. Fire and herbivory in a Great Salt Lake Marsh. Ecology 66: 259-265.
- Smith, R.E., H. Veldhuis, G. Mills, R. Eilers, W. Frase and G. Lelyk. 1999. Terrestrial Ecozones, Ecoregions and Ecodistricts of Manitoba. An Ecological Stratification of Manitoba's Landscapes. Agriculture Canada. Research Branch Technical Bulletin 1998-9E.
- Smith-Patten, B.D. and Patten, M.A. 2008. Diversity, seasonality, and context of mammalian roadkills in the southern Great Plains. Environmental Management 41: 844-852.
 - Soil Classification Working Group. 1998. The Canadian System of Soil Classification, 3rd ed. Agriculture and Agri-Food Canada Publication 1646. 187 pp.
- Soil Classification Working Group. 1998. The Canadian System of Soil Classification, 3rd ed. Agriculture and Agri-Food Canada Publication 1646, 187 pp.
- Soja, A. J., Tchebakova, N. M., French, N. H. F., Flannigan, M. D., Shugart, H. H., Stocks, B. J., Sukhinin, A. I., Parfenova, E.I., Chapin III, F. S., and Stackhouse, P. W. 2007. Climate-induced boreal forest change: Predictions versus current observations. Global and Planetary Change 56: 274-296.
- Soper, J. H., and Heimburger, M. L. 1982. Shrubs of Ontario. Royal Ontario Museum. Toronto, Ontario. 495pp.
- Soulé, M.E., Mackey, B.G., Recher, H.F., Williams, J.E., Woinarski, J.C.Z., Driscoll, D., Dennison, W.C., and Jones, M.E. 2004 The role of connectivity in Australian conservation. Pacific Conservation Biology, 10, 266–279.
- Sowls, F.W. 1949. Racoons: their habits and management in Michigan. Ecological Monographs 13: 203-257.
- Species at Risk Public Registry, 2007. Online at http://www.sararegistry.gc.ca/default_e.cfm. accessed April 7, 2008.
- Species at Risk Public Registry. 2010. Environment Canada. Available from http://www.sararegistry.gc.ca/default_e.cfm [accessed 25 February 2010].
- Spencer, A.W. and Pettus, D. 1966. Habitat preferences of five sympatric species of long-tailed shrews. Ecology 47(4): 677-683.
- Spindler, M.A. 1976. Ecological Survey of the birds, mammals and vegetation of Fairbanks Wildlife Management Area. MS Thesis, University of Fairbanks Alaska. 257 pp.
- Split Lake Cree. 1996a Analysis of change: Split Lake Cree post project environmental review. Split Lake Cree Manitoba Hydro Joint Study Group; vol. 1 of 5.
- Split Lake Cree. 1996b. History and First Order Effects: Split Lake Cree post project environmental review. Split Lake Cree Manitoba Hydro Joint Study Group; vol. 2 of 5.
- Split Lake Cree. 1996c. Environmental matrices: Summary of Manitoba Hydro impacts Split Lake Cree post project environmental review. *Support from* William Kennedy Consultants Ltd. & InterGroup Consultants Ltd. Split Lake Cree Manitoba Hydro Joint Study Group; vol. 3 of 5.



- Split Lake Cree. 1996d. Environmental baseline evaluation: Split Lake Cree post project environmental review. *Support from*: Lawrence, M. J.; North/South Consultants Inc. Split Lake Cree Manitoba Hydro Joint Study Group; vol. 4 of 5.
- Split Lake Cree . 1996e. Summary and conclusions: Split Lake Cree post project environmental review. Split Lake Cree Manitoba Hydro Joint Study Group; vol. 5 of 5.
- Split Lake Cree. 1996f. Split Lake Cree post project environmental review photos *in* vol. 1 5. Split Lake Cree First Nation, Manitoba.
- Split Lake Resource Management Board. 1994. Moose Conservation Plan 1993/94. Split Lake, Manitoba. 22 pp.
- SPSS Inc. 2003. SPSS 12.0.2 for Windows. SPSS Inc.
- Stardom, R. 1986. Status of furbearers in Manitoba: A brief overview. Manitoba Natural Resources Manuscript Report No. 86-12. Manitoba Department of Natural Resources, Wildlife Branch, Winnipeg. 48 pp.
- Stein, B. A. and S. R. Flack, eds. 1996. America's Least Wanted: Alien Species Invasions of U.S. Ecosystems. The Nature Conservancy, Arlington, Virginia.
- Stevens, D. R. 1970. Winter ecology of moose in the Gallatin Mountains, Montana. Journal of Wildlife Ecology 34(1): 37–46.
- Stevens, R.T., Ashwood, T.L., and Sleeman, M. 1997. Mercury in hair of muskrats (*Ondatra zibethicus*) and mink (*Mustela vison*) from the U.S. Department of Energy Oak Ridge Reservation. Bulletin of Environmental Contamination and Toxicology 58: 720-725.
- St. Laurent, Marc. 2005. Gull Lake simulated water levels 2001-2004. Datum CGVD1929. Hydraulic Engineering and Operations Department, Manitoba Hydro. May 4, 2005.
- Stocks, B.J., Mason, J.A., Todd, J.B., Bosch, E.M., Wotton, B.M., Amiro, B.D., Flannigan, M.D., Hirsch, K.G., Logan, K.A., Martell, D.L., and Skinner, W.R. 2003. Large forest fires in Canada, 1959–1997. Journal of Geophysical Research 107, 8149
- Storch, I. 2000. Grouse Action Plan 2000-2004. Downloaded from: www.gct.org.uk/gsg/grousesp/willow.htm.
- Storch Ilse. 2002. On spatial resolution I habitat models: Can small-scale forest structure explain capercaillie numbers? Conservation Ecology 6(1): 6[online]URL http://www.consecol.org/vol6/iss1/art6
- Strickland, M.A., Douglas, C.W., Novak, M. and Hunziger, N.P. 1982. Marten (*Martes americana*). In Wild furbearer management and conservation in North America. Edited *by* M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch. Ontario Ministry of Natural Resources, Peterborough, Ontario. pp._531-546.
- Strittholt, J. R., Noguerón, R., Bergquist, J. And Álvarez, M. 2006. Mapping undisturbed landscapes in Alaska: An overview report. 69 pp.



- Stuart, S.N., Chanson, J.S., Cox, N.A., Young, B.E., Rodrigues, S.L., Fischman, D.L., & Waller, R.W. 2004. Status and trends of amphibian declines and extinctions worldwide. Science, 306: 1783-1786
- Sustainability Manitoba. Undated. Applying Manitoba's Water Policies. 85 pp.
- Svendsen, G.E.. 1982. Weasels. In Wild mammals of North America: biology, management, and economics. Edited *by* J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 613-628.
- Swan, C. 2008. Assessing the role of road salt run-off on the critical ecological interactions that regulate carbon processing in small, headwater streams in the Chesapeake Bay watershed. United States Geological Survey, State Water Resources Research Institute Program, in collaboration with University of Maryland. Annual Report ID No. 2007MD148B.
- Sweitzer, R.A., and Berger, J. 1992. Size-related effects of predation on habitat use and behavior of porcupines (*Erethizon dorsatum*). Ecology 73: 867-875.
- Tacha, T. S. Nesbitt and P. Vohs. 1992. Sandhill Crane No. 31 In The Birds of North America, No. 62 (A. Poole and F. Gill, Eds.). Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Takats, L., Stewart, M., Todd, R., Bonar, R., Beck, B., and Quinlan, R. 1999. American marten winter habitat: habitat suitability index model version 5. Available at http://foothillsresearchinstitute.ca/Content_Files/Files/HS/HS report30.pdf [accessed 18 June 2012].
- Tarnocai, C. 2009. The Impact of Climate Change on Canadian Peatlands. Canadian Water Resources Journal 34(4), pp. 453-466. doi: 10.4296/cwrj3404453
- Tarnocai, G.F. 1972. The use of remote sensing techniques to study peatland and vegetation types, organic soils and permafrost in the boreal region of Manitoba. Proceedings of the 1st Canadian Symposium on Remote Sensing pp. 323-335.
- Taylor, P. 1996. Apparent decline of migrant Common Nighthawks near Pinawa, Manitoba. Blue Jay 54: 35-38.
- TCN (Tataskweyak Cree Nation). 2000a. Tataskweyak Cree Nation Terrestrial Animal Habitats in Gull Area (map). Contact Hobbs & Associates for Map.
- TCN. 2000c. Tataskweyak Cree Nation Traditional Pursuits within Gull Area (map). Contact Hobbs & Associates for Map.
- Techlow, Arhur F., and Linde Arlyn F. 1983. Forster's Tern Nest Platform Study for 1983, Bureau of Endangered Resources, Wisconsin Department of Natural Resources, Madison, WI.
- Telfer, E.S., and Kelsall, J.P. 1984. Adaptation of some large North American mammals for survival in snow. Ecology 65: 1828-1834.
- Tenneson, C., and Oring, L.W. 1985. Winter food preferences of porcupines. The Journal of Wildlife Management 49: 28-33.



- TetrES Consultants Inc. 1996. Lower Churchill River Water Level Enhancement Study. Terrestrial environmental field report 1995. Prepared for Manitoba Hydro, Winnipeg, Manitoba. April 1996.
- TetrES Consultants Inc. 1997. Lower Churchill River Water Level Enhancement Study. Terrestrial environmental field report 1995. Prepared for Manitoba Hydro, Winnipeg, Manitoba. March 1997.
- TetrES Consultants Inc. 2003. Wuskwatim GS Environmental Impact Statement. Prepared for Manitoba Hvdro.
- TetrES Consultants Inc. 2004a. Gull (Keeyask) Project Generating Station Avian Field Studies Report 2001. Prepared for Manitoba Hydro, Winnipeg, Manitoba.
- TetrES Consultants Inc. 2004b. Gull (Keeyask) Project Generating Station Avian Field Studies Report 2002. Prepared for Manitoba Hydro, Winnipeg, Manitoba.
- TetrES Consultants Inc. 2005. Keeyask Project Generating Station: Amphibian and Reptile Field Studies Report 2001-2004. May 2005. Report #04-02. Prepared for Manitoba Hydro, Winnipeg, Manitoba.
- TetrES Consultants Inc. 2005a. Keeyask Project Generating Station: Avian Field Studies Report 2003. Prepared for Manitoba Hydro, Winnipeg, Manitoba.
- TetrES Consultants Inc. 2005b. Keeyask Project Generating Station: Access Road Avian Field Studies Report 2004. Prepared for Manitoba Hydro, Winnipeg, Manitoba.
- TetrES Consultants Inc. 2006. Keeyask Project Generating Station: Access Road Avian Field Studies Report 2005. Report #05-01. Prepared for Manitoba Hydro, Winnipeg, Manitoba.
- TetrES Consultants Inc. 2007. Keeyask Generation Project: Amphibian and Reptile Studies Field Report 2007. Report #07-02. Prepared for Manitoba Hydro, Winnipeg, Manitoba.
- TetrES Consultants Inc. 2007. Keeyask Generation Project: Avian Field Studies Report 2006. Report #06-01. Prepared for Manitoba Hydro, Winnipeg, Manitoba.
- TetrES Consultants Inc. 2007. Conawapa Generating Station avian field report. Unpublished report to Manitoba Hydro, as part of the Conawapa study area evaluation conducted prior to submission of the Environmental Impact Statement.
- TetrES Consultants Inc. 2008a. Keeyask Generation Project: Avian Field Studies Report 2007. Report #07-01. Prepared for Manitoba Hydro, Winnipeg, Manitoba.
- TetrES Consultants Inc. 2008b. Conawapa 2006 Avian Field Studies Report. Draft report prepared for Manitoba Hydro, Winnipeg, Manitoba.
- TetrES Consultants Inc. 2010. Conawapa 2008 Avian Field Studies Report. Draft report prepared for Manitoba Hydro, Winnipeg, Manitoba.
- The Wildlife Society. 2004. Global climate change and wildlife in North America. Technical Review. 04-2.
- The Wildlife Society. 2005. Techniques for Wildlife Investigation and Management. 6th edition. C. Braun ed., Bethesda, Maryland. 2005.



- Thie, J. 1974. Distribution and thawing of permafrost in the southern part of the discontinuous permafrost zone in Manitoba. Arctic 27:189-200.
- Thiel, R.P. 1985. Relationship between road densities and wolf habitat suitability in Wisconsin. American Midland Naturalist 113: 404-407.
- Thomas, D.C., and Gray, D.R. 2002. Update COSEWIC status report on the woodland caribou Rangifer tarandus caribou in Canada. Committee on the Status of Endangered Species in Canada, Ottawa, Ontario. 98 pp.
- Thompson, J.E., and Abraham, K.F. 1994. Range, seasonal distribution and population dynamics of the Pen Islands caribou heard of southern Hudson Bay: final report. Ontario Ministry of Natural Resources, Moosonee, Ontario. 144 pp.
- Thompson, R.C. 1994. Ground-breaking co-management in the Split Lake Resource Management Area of Manitoba, Canada. Rangifer 9: 259-262.
- Thurber, J.M., Peterson, R.O., Drummer, T.D., and Thomas, S.A. 1994. Gray wolf response to refuge boundaries and roads in Alaska. Wildlife Society Bulletin 22: 61-68.
- Tierney, G., D. Faber-Langendoen, B. Mitchell, W. Shriver and J. P Gibbs. Monitoring and evaluating the ecological integrity of forest ecosystems. Frontiers in Ecology 7(6): 308-316.
- Tietje, W.D., and Ruff, R.L. 1980. Denning behavior of black bears in boreal forest of Alberta. Journal of Wildlife Management 44: 858-870.
- Timmerman, H.R., and Buss, M.E. 2007. Ecology and management of the North American moose. In Population and harvest management. Edited *by* A. Franzmann and B. Schwartz. Wildlife Management Institute, Boulder, Colorado. pp. 559-615.
- Tiunov A.V., C.M. Hale, A.R. Holdsworth and T.S. Vsevolodova-Perel. 2006. Invasion patterns of Lumbricidae into the previously earthworm-free areas of northeastern Europe and the western Great Lakes region of North America. Biological Invasions. 8, 2006, p. 1223 1234.
- Todd, C.S., L.S. Young, R.B. Owen, and F.J. Gramlich. 1982. Food habits of bald eagles in Maine. Journal of Wildlife Management 46:636-645.
- Toweill, D.E., and Tabor, J.E. 1982. River otter *Lutra canadensis*. In Wild mammals of North America: biology, management, and economics. Edited by J.A. Chapman and G.A. Feldhamer. Johns Hopkins University Press, Baltimore, Maryland. pp. 688-703.
- Townsend, G. 1966. A study of waterfowl nesting on the Saskatchewan River Delta. The Canadian Field-Naturalist. 80:74-88.
- Trewhella, W.J., Harris, S., and McAllister, F.E. 1988. Dispersal distance, home-range size and population density in the red fox (*Vulpes vulpes*): a quantitative analysis. Journal of Applied Ecology 25: 423-434.
- Tucker, B., and Mahoney, S. 1990. Report on the cause-specific mortality of LaPoile caribou on the southwest coast of Newfoundland, June 8, 1985 March 30, 1990. Hope Brook Gold Inc. and Newfoundland and Labrador Wildlife Division, Department of Environment and Lands. 48 pp.



- Turetsky, M.R., R.K. Weider, C.J. Williams and D.H. Vitt. 2000. Organic matter accumulation, peat chemistry, and permafrost melting in peatlands of boreal Alberta. Ecoscience 7:379-392.
- UK Biodiversity Partnership. 2007. Conserving Biodiversity The UK Approach.
- U.S. Army Corps of Engineers. 1987. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1. Prepared by U.S. Army Corps of Engineers, Waterways Experiment Station for U.S. Army Corps of Engineers. 92 pp. plus appendices.
- USDA Natural Resources Conservation Service. 2008. Soil Quality Physical Indicators: Selecting Dynamic Soil Properties to Assess Soil Function. Soil Quality Technical Note No. 10. Soil Quality National Technology Development Team, East National Technology Support Center, Natural Resources Conservation Service (NRCS), Greensboro, NC
- US EPA. 1997. Study Report to Congress. Volume VI: An Ecological Assessment for Anthropogenic Mercury Emissions in the United States. US EPA. Rep. EPA-452/R-97-008. Office of Air Quality Planning & Standards and Office of Research and Development. 157pp.
- US EPA. 2002. United States Environmental Protection Agency. Belted Kingfisher. Accessed at: https://www.epa.gov/region01/ge/thesite/restofriver/reports/final_era/B%20-%20Focus%20Species%20Profiles/EcoRiskProfile_kingfisher.pdf.
- USGS 2007. Upper Midwest Environmental Sciences Centre. Loon Study: Frequently asked questions. Accessed at: http://www.umesc.usgs.gov/terrestrial/migratory_birds/loons/questions.html.
- United States Department of Agriculture. 2007. Bald Eagles of Shasta and Trinity Lakes. USDA Shasta-Trinity National Forest. Revised March, 2007.
- United States Environmental Protection Agency (US EPA). 2002. Species Profile: Belted Kingfisher. Accessed at https://www.epa.gov/region1/ge/thesite/restofriver/reports/final_era/B%20-%20Focus%20Species%20Profiles/EcoRiskProfile_kingfisher.pdf
- United States Geological Survey (USGS). 2007. Effects of Global Climate Change on Shorebird Migration. Fort Collins Science Centre. US Department of the Interior. Retrieved from http://www.fort.usgs.gov February 27, 2008.
- University of Guelph Insect Collection. 1998. Brachycera and selected Nematocera of the Scott Lake Ecotone, Algonquin Park, Ontario. Online at http://www.uoguelph.ca/debu/species-lists.htm. Accessed September 2007.
- Van Ballenberghe, V., and Peek, J.M. 1971. Radio-telemetry studies of moose in northeastern Minnesota. Journal of Wildlife Management 35: 63-71.
- van den Driessche, R., T. Chatwin and M. Mather. 2000. Habitat Selection by Bats in Temperate Old-Growth Forests, Clayoquot Sound, British Columbia. Proceedings of a Conference on the Biology and Management of Species and Habitats at Risk, Volume One. B.C. Ministry of Environment, Lands and Parks, Victoria, B.C. and University College of the Cariboo, Kamloops, B.C. 490 pp.
- van Dijk, J., Andersen, T., May, R., Andersen, R. Andresen, R., and Landa, A. 2008. Foraging strategies of wolverines within a predator guild. Canadian Journal of Zoology 86: 966-975.



- Vermeer, K. 1970. Breeding biology of California and Ring-billed Gulls: a study of ecological adaptations to the inland habitat. Report Series Number 12. Environment Canada, Canadian Wildlife Service, Ottawa.
- Vermeer, K., Armstrong, F., and D. Hatch. 1973. Mercury in Aquatic Birds at Clay Lake, Western Ontario. Journal of Wildlife Management 37 (1): 58-61.
- Vernier, L.A., and J.L. Pearce. 2005. Boreal bird community response to jack pine forest succession. *Forest Ecology and Management* 217:19–36. Wiggins 2004.
- Vitt, D.H., L.A. Halsey, C. Campbell, S.E. Bayley and M.N. Thormann. 2001. Spatial patterning of net primary production in wetlands of continental western Canada. Ecoscience 8:499-505.
- Vitt, D.H., L.A. Halsey and S.C. Zoltai. 1994. The bog landforms of continental western Canada in relation to climate and permafrost patterns. Arctic and Alpine Research 26:1-13.
- Vitt, D.H., L.A. Halsey and S.C. Zoltai. 2000. The changing landscape of Canada's western boreal forest: the current dynamics of permafrost. Canadian Journal of Forest Research 30:283-287.
- Voigt, D.R. 1998. Red fox. In Wild furbearer management and conservation in North America. Edited by M. Novak, J.A. Baker, M.E. Obbard, and B. Malloch. Ontario Ministry of Natural Resources, Peterborough, Ontario. pp. 378-392.
- Volney, W.J.A. and R.A. Fleming. 2000. Climate change and impacts of boreal forest insects. Agriculture, Ecosystems and Environment 82 (1/3): 283-294.
- Vors, L.S., Schaefer, J.A., Pond, B.A., Rodgers, A.R., and Patterson, B.R. 2007. Woodland caribou extirpation and anthropogenic landscape disturbance in Ontario. Journal of Wildlife Management 71: 1249-1256.
- Vuori K. M., I. Joensuu, J. Latvala, E. Jutila and A. Ahvonen. 1998. Forest drainage: a threat to benthic biodi7ersity of boreal headwater streams? Aquatic Conservation: Marine and Freshwater
- Wellman, S.T., Haynes, J.M. and Pagano, J.J. 2009. Model estimates bioaccumulation of total PCBs, dioxin–furan TEQs, and total mercury in mink liver based on concentrations in Lake Ontario water. Archives of Environmental Contamination and Toxicology 57:808–815.
- Waltner-Toews, D., Kay, J. J., and Lister, N. E. (eds.). 2008. The Ecosystem Approach: Complexity, Uncertainty, and Managing for Sustainability. Columbia University Press. 383 pp.
- Watson, J. W., and D. J. Pierce. 1998. Ecology of bald eagles in western Washington with an emphasis on the effects of human activity. Final Report. Washington Dept. of Fish and Wildlife, Olympia, WA.
- Weber, M. G. and Flannigan, M. D. 1997. Canadian boreal forest ecosystem structure and function in a changing climate: impact on fire regimes. Environ. Rev. 5: 145–166.
- Weber, M. G. and Stocks, B.J. 1998. Forest fires and sustainability in the boreal forests of Canada. Ambio 27(7): 545-550.



- Weise, A.M., Levasseur, M., Saucier, F.J., Senneville, S., Vézina, A., Bonneau, E., Sauvé, G. and Roy, S. (2001). The role of rainfall, river run-off and wind on toxic *A. tamarense* bloom dynamics in the Gulf of St. Lawrence (eastern Canada): analysis of historical data. Report prepared for the Climate Change Action Fund.
- Weladji, R.B., Klein, D.R., Holand, Ø., and Mysterud, A. 2002. Comparative response of Rangifer tarandus and other northern ungulates to climatic variability. Rangifer 22(1): 33-50.
- Wellman, S.T., Haynes, J.M. and Pagano, J.J. 2009. Model estimates bioaccumulation of total PCBs, dioxin–furan TEQs, and total mercury in mink liver based on concentrations in Lake Ontario water. Archives of Environmental Contamination and Toxicology 57: 808–815.
- Welsh, H.H., and L.M. Oliver. 1998. Stream amphibians as indicators of ecosystem stress: a case from California's redwoods. *Ecological Applications* 8:1118-1132.
- Welsh, D. 1993. An overview of the Ontario Forest bird monitoring program. Canadian Wildlife Service Report. Nepean, Ontario.
- Werner, M. R. 1990. Earthworm ecology and sustaining agriculture. Center for Agroecology and Sustainable Food Systems, University of California, Santa Cruz. Components, vol. 1, no.4 (Fall 1990).
- Western Land Resource Group. 2001. Biological Land Classification data and mapping. University of Manitoba. Winnipeg, Manitoba.
- White, D.J., Haber, E., and Keddy, C. 1993. Invasive plants of natural habitats in Canada: an integrated review of wetland and upland species and legislation governing their control. Canadian Wildlife Service, Ottawa, Canada. 121pp.
- White, P. 1987. Natural disturbance, patch dynamics, and landscape pattern in natural areas. Natural Areas Journal 7:14-22.
- White, R.G. and Trudell, J. 1980. Habitat preference and forage consumption by reindeer and caribou near Atkasook, Alaska. Arctic and Alpine Research 12(4): 511-529.
- Whitehouse, H.E. and S.E. Bayley. 2005. Vegetation patterns and biodiversity of peatland plant communities surrounding mid-boreal wetland ponds in Alberta, Canada. Canadian Journal of Botany 83:621-637.
- Whiting E.R. and J.W. Sheard. 1990. Patterns in the distribution of heptageniid (Ephemeroptera) species in Saskatchewan, Canada. Freshwater Biology, 24, 143-157.
- Whitaker, D. M., A. L. Carroll, W. A. Montevecchi. 2000. Elevated numbers of flying insects and insectivorous birds in riparian buffer strips. Canadian Journal of Zoolology, 78: 740–747.
- Whittaker, D., and Knight, R.L. 1998. Understanding wildlife responses to humans. Wildlife Society Bulletin 26: 312-317.
- Widen, P. 1994. Habitat quality for raptors: a field experiment. Journal of Avian Biology. 25: 219-223.
- Wiemeyer, S., Lamont, T., Bunch, C., Sindelar, C., Gramlich, F., Fraser, J., and M. Byrd. 1984.

 Organochlorine Pesticide, Polychlorobiphenyl and Mercury Residues in Bald Eagle Eggs-1969-



- 79 and there Relationships to Shell Thinning and Reproduction. Arch Environ Contam Toxicol 13:529-549.
- Wiggins, D. (2004, September 22). Short-eared Owl (Asio flammeus): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: http://www.fs.fed.us/r2/projects/scp/assessments/shortearedowl.pdf [accessed July 7 2010].
- Wilbert, C.J., Buskirk, S.E., and Gerow, K.G. 2000. Effects of weather and snow on habitat selection by American martens (*Martes americana*). Canadian Journal of Zoology 78: 1691-1696.
- Wilcox, D. A. and Meeker, J. E. 1991. Disturbance effects on aquatic vegetation in regulated and unregulated lakes in northern Minnesota. Can. J. Bot. 69: 1542-1551.
- Willett T.R. 2001. Spiders and other arthropods as indicators in old-growth versus logged redwood stands. Restoration Ecology 9 (4): 410-420.
- Williamson, T. 1997. From Sina to Sikujaluk: Our footprint: mapping Inuit environmental knowledge in the Nain District of Northern Labrador. Labrador Inuit Association. Nain, Labrador.
- Wilson, E.E. and Wolkovich, E.M. 2011. Scavenging: how carnivores and carrion structure communities. Trends in Ecology & Evolution 23(3): 129-135.
- Wishard, W.D. 1984. Western Canada. In White-tailed Deer Ecology and Management. Edited by L.K. Halls. Wildlife Management Institute. Washington, D.C. pp. 475-486.
- Witner, G.W., and Whittaker, D.G. 2001. Dealing with nuisance and depredating black bears. Western Black Bear Workshop 7: 73-81. Witmer, G,W., Martin, S.K., and Sayler, R.D. 1998. Forest carnivore conservation and management in the Interior Columbia Basin: issues and environmental correlates. United States Department of Agriculture Forest Service, Pacific Northwest Research Station, General Technical Report PNW-GTR-420. Portland, Oregon. 54 pp.
- Wittmer, H.U., McLellan, B.N., Seip, D.R., Young, J.A., Kinley, T.A., Watts, G.S., and Hamilton, D. 2005. Population dynamics of the endangered mountain ecotype of woodland caribou (Rangifer tarandus caribou) in British Columbia, Canada. Canadian Journal of Zoology 83: 407-418.
- WLFN (War Lake First Nation). 2002. War Lake OWL process: Keeyask Project, July 2002. War Lake First Nation, Manitoba.
- Wolff, J.O. 1980. The role of habitat patchiness in the population dynamics of snowshoe hares. Ecological Monographs 50: 111-130.
- Woo, M., Lewkowicz, A.G., and W.R. Rouse. 1992. Response of the Canadian permafrost environment to climatic change. Physical Geography 13:287-317.
- Wood, P. B., D. A. Buehler and M. A. Byrd. 1990. Raptor status report-Bald Eagle. Pages 13-21 In Proceedings of the southeast raptor management symposium and workshop. (Giron Pendleton, B., Ed.) Nat. Wildl. Fed. Washington, D.C.
- Woodcock T.S. and A.D. Huryn. 2004. Leaf litter processing and invertebrate assemblages along a pollution gradient in a Maine (USA) headwater stream. Environmental Pollution 134(3): 363-375.



- Wormworth, J. and K. Mallon. 2011. Bird species and climate change: The Global Report: a synthesis of current scientific understanding of anthropogenic climate change impacts on global bird species now, and projected future effects. Report to: World Wide Fund for Nature.
- Wren, C.D. 1986. A review of metal accumulation and toxicity in wild animals. Environmental Research 40: 210-244.
- Wren, C.D., MacCrimmon, H., Frank, R., Suda, P. (1980). Total and methylmercury levels in wild mammals from the Precambrian shield area of south central Ontario, Canada. Bulletin of Environmental Contamination and Toxicology 25: 100-105.
- Wright, J.P., Jones, C.G., and Flecker, A.S. 2002. An ecosystem engineer, the beaver, increases species richness at the landscape scale. Oecologia 132: 96-101.
- Wright, J.D. and Ernst, J. 2004. Effects of mid-winter snow depth on stand selection by wolverines, *Gulo gulo luscus*, in the boreal forest. Canadian Field-Naturalist 118(1): 56-60.
- Wrigley, R.E., Dubois, J.E., and Copland, H.W.R. 1979. Habitat, abundance, and distribution of six species of shrews in Manitoba. Journal of Mammalogy 60: 505-520.
- Wrigley, R.E. 2007. Zoological Author and Editor, The Encyclopedia of Manitoba. Great Plains Publications, 814 pp. The most-current and comprehensive information on Manitoba biodiversity.
- Wund, M.A. 2006. Variation in the echolocation calls of little brown bats (*Myotis lucifugus*) in response to different habitats. American Midland Naturalist 156: 99-108.
- Wyman, R. 1990. What's happening to the amphibians? Conservation Biology. 4:350-352.
- Wytrykush, C.M. 2001. Implications of spruce budworm (Lepidoptera: Tortricidae: Choristoneura furniferana Clem.) management for the species diversity of moths (Lepidoptera) and carabid beetles (Coleoptera: Carabidae) in the Manitoba Boreal Forest. A Thesis Submitted to the Faculty of Graduate Studies In Partial Fulfilhent of the Requirements For the Degree of Master of Science Department of Entomology University of Manitoba, Winnipeg, MB. p 294.
- Yahner, R. 1988. Changes in Wildlife Communities Near Edges. Conservation Biology <u>Volume 2, Issue 4, pages 333–339</u>, December 1988.
- Yanes, M., J. M. Velaso and F. Suarez. 1995. Permeability of roads and railways to vertebrates: The importance of culverts. Biological Conservation, 71: 217-222
- Yeats, G.W. 2007. Abundance, diversity and resilience of nematode assemblages in forest soils. Canadian Journal of Forest Research, 37: 216-225.
- YFFN (York Factory First Nation). 2006. Traditional economy: land, water, fish & wildlife. York Factory First Nation community-based mapping final report. Hilderman Thomas Frank Cram. Final Report June 2006.
- YFFN (York Factory First Nation). 2011. Initial community-based environmental overview: Proposed Keeyask hydro project. Support from Hilderman, Thomas, Frank, Cram. 75pp.



- YFFN Evaluation Report (*Kipekiskwaywinan*): Our voices. 2012. Support from Hilderman, Thomas, Frank, Cram and Northern Light Heritage Services. York Landing, MB. June 2012.
- Young, S.P. 1944. The wolves of North America part 1: their history, life, habits, economic status, and control. Wildlife Society Bulletin 30: 831-843.
- Zielinski, W.J., Duncan, N.P., Farmer, E.C., Truex, R.L., Clevenger, A.P., and Barrett, R.H. 1999. Diet of fishers (*Martes pennanti*) at the southernmost extent of their range. Journal of Mammalogy 80(3): 961-971.
- Zielinski, W.J., Kucera, T.E., and Barrett, R.H. 1995. Current distribution of the fisher, *Martes pennanti*, in California. California Fish and Game 81: 104-112.
- Zoladeski, C.A., Wickware, G. M., Delorme, R. J., Sims, R. A. and Corns, I. G. 1995. Forest Ecosystem Classification for Manitoba: field guide. Natural Resources Canada, Canadian Forest Service, Northern Forestry Centre, Edmonton, Alberta. Special Report 2. 205 pp.
- Zoltai, S.C. 1972. Palsas and peat plateaus in central Manitoba and Saskatchewan. Canadian Journal of Forest Research 2:291-302.
- Zoltai, S.C. 1993. Cyclic development of permafrost in the peatlands of northwestern Alberta. Arctic and Alpine Research 25:240-246.
- Zoltai, S.C. and C. Tarnocai. 1975. Perennially frozen peatlands in the western arctic and subarctic of Canada. Canadian Journal of Earth Sciences 12:28-43.
- Zoltai, S.C., C. Tarnocai, G.F. Mills and H. Veldhuis. 1988a. Wetlands of subarctic Canada. pp. 58-96 in Wetlands of Canada. Ecological Land Classification Series No. 24, Environment Canada, Ottawa, Ontario, and Polyscience Publications, Montreal, Quebec. 452 pp.
- Zoltai, S.C., S. Taylor, J.K. Jeglum, G.F. Mills and J.D. Johnson. 1988b. Wetlands of boreal Canada. pp. 100-154 in Wetlands of Canada. Ecological Land Classification Series No. 24, Environment Canada, Ottawa, Ontario, and Polyscience Publications, Montreal, Quebec. 452 pp.
- Zwolak, R. and Foresman, K.R. 2007. Effects of a stand-replacing fire on small-mammal communities in montane forest. Canadian Journal of Zoology 85: 815-822.

9.2 PERSONAL COMMUNICATIONS

- Ball, Garth. 2010. Wildlife Branch, Manitoba Conservation. Conversation with Jackie Krindle, Calyx Consulting on March 11, 2010.
- Bazin, Ron. 2012. Conversation and emails with James Ehnes from May 15 to 17, 2012.
- Beardy, Howard. 2006. Area Resource User. Bird, Manitoba. Conversations with Leane Wyenberg and Angèle Watrin Prodaehl, TetrES Consultants Inc., Gillam, Manitoba, June, 2006.



- Beardy, Stanley. 2005. Area Resource User. Bird, Manitoba. Conversations with Leane Wyenberg and Angèle Watrin Prodaehl, TetrES Consultants Inc., Gillam, Manitoba, June, 2005.
- Bung, Randall. 2012. Manitoba Hydro, Pointe du Bois, MB. Conversation with Timothy Kroeker, Wildlife Resource Consulting Services MB Inc. June 26, 2012.
- Cash, Ben. 2006. Associate Professor of Biology and Chair of the Division of Natural Sciences. Maryville College, Maryville Tennessee. Email and telephone correspondence with Leane Wyenberg, TetrES Consultants Inc., Winnipeg, Manitoba, July 31, 2006.
- Crichton, Vince. 2010. Manager, Game Fur & Problem Wildlife. Manitoba Conservation, Winnipeg, Manitoba., Winnipeg, MB. March 11, 2010.
- Firlotte, Nicole. 2010. Biodiversity Information Manager, Manitoba Conservation Data Centre, Winnipeg, Manitoba. Email regarding a rare species search with Shirley Bartz, Stantec Consulting Ltd., Winnipeg, Manitoba, April 29, 2010.
- Hedman, Daryll. 2008. Regional Wildlife Manager. Manitoba Conservation, Thompson Manitoba., Winnipeg, MB. October 10, 2008.
- Herkert, J. R., S. A. Simpson, R. L. Westemeier, T. L. Esker, and J. W. Walk. 1999. Response of Northern Harriers and Short-eared Owls to grassland management in Illinois. Journal of Wildlife Management 63:517-523.
- Holmes, Bruce. 2008. Regional Forest Manager, Manitoba Conservation, Northeast Region. Phone conversation with Angèle Watrin Prodaehl, TetrES Consultants Inc., January 2008.
- Holmes, Bruce. 2008. Regional Forester, Manitoba Conservation Northeast Region. Conversation with Angèle Watrin Prodaehl, TetrES Consultants Inc. February 20, 2008.
- Kitchekeesik, George. 2001. Split Lake Resident and Local Resource User. Conversation with Blair McMahon, Biologist, TetrES Consultants Inc. June 2001.
- Koonz, William. 2008. Retired Biologist previously with Manitoba Conservation. Conversation with Angele Watrin-Prodeahl, Biologist, TetrES Consultants Inc. September 2008.
- MacDonell, Don. Senior Aquatic Biologist, North South Consulting. Email correspondence with Mike Sweet, Stantec Consultants. Winnipeg, Manitoba, December 5, 2011.
- MacGuire, Ian. 2008. Owl Conservation Educator, Wild Owl Education Services, Bristol, England. Email correspondence with Angèle Watrin Prodaehl, TetrES Consultants Inc. July 20, 2008.
- MBCDC. 2011. Personal communication. Spreadsheet with plant nomenclature, conservation concern rankings and general habitat associations.
- Meyers, Lisa. 2010. District Supervisor, Gillam District, Manitoba Conservation, Gillam, Manitoba. Email correspondence with Andrea Ambrose, Wildlife Resource Consulting Services MB Inc. August 26, 2010.
- Monkman, Bob. 2009. Manager of Community Relations, Aboriginal Relations Division, Manitoba Hydro, Winnipeg, MB. August 17, 2009.



- Preston, Bill. Herpetologist, Manitoba Museum of Man and Nature, Winnipeg, Manitoba. Proceedings of an amphibian workshop: attended by Blair McMahon, Stantec Consulting (formerly TetrES Consultants Inc.), Winnipeg, Manitoba, April 18, 1996.
- Raedeke, Andrew. 2007. Resource Scientist, Missouri Department of Conservation, Columbia, Missouri. Telephone conversation with Angèle Watrin Prodaehl, Tetr*ES* Consultants Inc. January 19, 2007.
- Rebizant, Ken. 2008. Big Game Manager. Manitoba Conservation, Winnipeg Manitoba., Winnipeg, MB. October 10, 2008.
- Rickey, Eric. 2008 Manager, National Identification Service, Entomology, Agriculture & Agri-Food Canada, Ottawa, Ontario, Canada. Email regarding records of nematodes, insects and arachnids in Manitoba Boreal forest, with Shirley Bartz, Stantec Consulting Ltd., Winnipeg, Manitoba, February 8, 2008.
- Schetagne, R. 2009. Author and editor of Mercury in the Biogeochemical Cycle; Head of the Mercury Program at Hydro-Quebec. Email communications re: using mercury concentrations in fish to estimate concentrations in bird species that share similar feeding habits. October 20, 2009 correspondence with Leane Wyenberg, TetrES Consultants.
- Weins, Jonathan. 2006. Garter Snake Research Student, University of Manitoba. Winnipeg, Manitoba. Email correspondence with Angèle Watrin Prodaehl, TetrES Consultants Inc. Winnipeg, Manitoba. January 2007.
- Whitcher, Jesse. 2010. Pilot, Custom Helicopters, St. Andrews, Manitoba, October 6, 2010.
- Windsor, Dennis. c. 1992. Manitoba Hydro (retired). Winnipeg, Manitoba.
- Yu, Qing. 2008. Research Scientist, Curator, Canadian National Collection of Nematodes, Ottawa, Ontario, Canada Email regarding ecological role of nematodes in Manitoba Boreal forest, with Shirley Bartz, Stantec Consulting Ltd., Winnipeg, Manitoba, February 22, 2008.

